



## Information about the retrosynthesis

Created On: 2023-03-08T10:48:17.683000 UTC

Model: disconnection-aware-2022-06-24

Product: CC1N=C(N(C)C(=O)CC2C=CC(C3C(F)=CC=C(F)C=3)=CC=2)SC=1S(C)(=N)=O

Search strategy: hyper

MSSR: 15

MRP: 50

FAP: 0.65

SbP: 3

Availability pricing threshold: 20

Are materials exclusive: True

Enzymatic only: False

Available smiles:

Exclude smiles: CC1N=C(N(C)C(=O)CC2C=CC(C3C(F)=CC=C(F)C=3)=CC=2)SC=1S(C)(=N)=O


Exclude substructures:

# Sequence 1, Confidence: 0.7160502299260092

## Step 1

Type: Thiooxo to imino, Confidence: 0.91


CC(=O)OI(OC(C)=O)c1ccccc1.CO.Cc1nc(N(C)C(=O)Cc2ccc(-c3cc(F)ccc3F)cc2)sc1S(C)=O.ClCCl.NC(=O)[O-].[NH4+]>>CC1N=C(N(C)C(=O)CC2C=CC(C3C(F)=CC=C(F)C=3)=CC=2)SC=1S(C)(=N)=O



## Step 2

Type: Bromo Suzuki-type coupling, Confidence: 0.95


Cc1nc(N(C)C(=O)Cc2ccc(Br)cc2)sc1S(C)=O.OB(O)c1cc(F)ccc1F>>Cc1nc(N(C)C(=O)Cc2ccc(-c3cc(F)ccc3F)cc2)sc1S(C)=O



## Step 3

Type: Amide Schotten-Baumann, Confidence: 0.969


CNc1nc(C)c(S(C)=O)s1.O=C(Cl)Cc1ccc(Br)cc1>>CNc1nc(N(C)C(=O)Cc2ccc(Br)cc2)sc1S(C)=O



## Step 4

Type: N-Boc deprotection, Confidence: 0.971


Cc1nc(N(C)C(=O)OC(C)(C)C)sc1S(C)=O.ClCCl.O=C(O)C(F)(F)F>>CNc1nc(C)c(S(C)=O)s1



## Step 5

Type: Sulfanyl to sulfinyl, Confidence: 0.942


CO.CSc1sc(N(C)C(=O)OC(C)(C)C)nc1C.O.[O-][I+3]([O-])([O-])O[Na]>>Cc1nc(N(C)C(=O)OC(C)(C)C)sc1S(C)=O



## Step 6

Type: Unrecognised, Confidence: 0.97

C1CCOC1.CSSC.Cc1csc(N(C)C(=O)OC(C)(C)C)n1.[Li]CCCC>>CSc1sc(N(C)C(=O)OC(C)(C)C)nc1C



## Step 7

Type: Bromo Buchwald-Hartwig amination, Confidence: 0.964

C1COCCO1.CC1(C)c2cccc(P(c3ccccc3)c3ccccc3)c2Oc2c(P(c3ccccc3)c3ccccc3)cccc21.CNC(=O)OC(C)(C)C.Cc1csc(Br)n1.O=C(/C=C/c1ccccc1)/C=C/c1ccccc1.O=C(O[Cs])O[Cs].[Pd]>>Cc1csc(N(C)C(=O)OC(C)(C)C)n1

