1	Exercise attitudes and behaviours among retired female collegiate athletes
2	
3	
4	*Carolyn R Plateau, PhD <sup>a</sup>
5	Trent A Petrie, PhD <sup>b</sup>
6	Anthony Papathomas, PhD <sup>a</sup>
7	
8	<sup>a</sup> National Centre for Sport and Exercise Medicine, Loughborough University, Loughborough,
9	LE11 3TU, UK. C.R.Plateau@lboro.ac.uk; A.Papathomas@lboro.ac.uk.
10	<sup>b</sup> Department of Psychology, University of North Texas, Denton, TX 76203, United States.
11	Trent.Petrie@unt.edu
12	*Corresponding author: Carolyn Plateau, National Centre for Sport and Exercise Medicine,
13	Loughborough University, Loughborough, LE11 3TU, UK. Phone: (+44) 1509 228487.
14	Email: <u>C.R.Plateau@lboro.ac.uk</u>
15	

1	Exercise attitudes and behaviours among retired female collegiate athletes
2	
3	
4 5	Abstract Objectives: The present study explored exercise attitudes and behaviours among retired
6	female collegiate athletes.
7	Design: A survey design incorporating both closed and open-ended questions was adopted.
8	<b>Method</b> : A total of 218 former NCAA Division I female athletes ( $n = 144$ gymnastics; $n = 74$
9	swimming/diving) provided details on their current exercise behaviours and their thoughts
10	regarding exercise since retiring from collegiate sport.
11	Results: No relations were found between years since retirement and athletes' current
12	exercise frequency, types of exercise activities, and reasons for exercising. Despite reporting
13	activity levels consistent with recommendations (5 days/week, 1 hour per session), retired
14	athletes remained dissatisfied with their activity levels and struggled to integrate exercise
15	alongside occupational, academic and social demands.
16	Conclusions: Athletes may require support in adapting to an independent and less intense
17	exercise regime on retirement. Future research may look to explore exercise attitudes and
18	behaviours among retired athletes from a longitudinal perspective.
19	Keywords: sport; career transition; health; physical activity
20	

# Introduction

2 Retirement from sport can be a difficult period for athletes, and significant reductions 3 in self-esteem, physical self-worth, and perceived physical attractiveness are common 4 (Stephan et al., 2003a, b). The transition is often characterised by an initial period of crisis and uncertainty, followed by the construction of a new identity and improved psychological 5 6 well-being (Kerr & Dacyshyn, 2000). Although clear time frames for this transition have yet to be established, existing evidence suggests that adjusting to life beyond sport becomes 7 8 easier as time since retirement lengthens (Douglas & Carless, 2009; Lally, 2007). Other 9 factors such as not solely identifying as an athlete, retiring voluntarily and having a supportive social network can also ease the transition (Park et al., 2013). 10 Athletes also experience challenging physical changes on retirement from sport. 11 12 Notably, retirement has been linked to weight gain and reduced muscle mass (Marquet et al., 2013; Stirling et al., 2012), which can be ascribed to reductions in physical activity and 13 changes in food intake (Weiler et al., 2015). Some retired athletes report engaging in 14 15 compensatory exercise behaviours, such as rigid or driven exercise, to cope with these bodily changes (Lavallee & Robinson, 2007; Stirling et al., 2012). In contrast, other athletes relate 16 more positively to exercise, citing the benefits of recreational activity to reduce their decline 17 in fitness and to help maintain a routine after the cessation of formal sport training (Clowes et 18 al., 2015; Stambulova et al., 2007). During their competitive careers, collegiate athletes 19 20 engage in highly structured and externally regulated training with their teammates, with performance improvement a primary goal (Theberge, 2007). On retirement, athletes must 21 make the transition towards exercising independently, which includes making decisions about 22 the type and quantity of exercise performed, as well as finding new motivations for exercise. 23 Maintaining an active lifestyle beyond the end of a competitive sport career can be 24 beneficial to physical and psychological health (Witkowski & Spangenburg, 2008). At 25

1 present there is conflicting evidence around the exercise attitudes and behaviours of former athletes and a limited understanding of how athletes make sense of exercise into retirement. 2 3 Questions remain about what happens to activity levels among athletes once they are no 4 longer involved in competitive sport. What physical activities do athletes engage in, and for what reasons are they exercising or not? Further, do such exercise attitudes and behaviours 5 6 vary based on years since retirement? In this brief report we aimed to (a) determine if there was a relation between years since retirement and athletes' current exercise frequency, types 7 of exercise activities, and reasons for exercising, and (b) to explore athletes' perspectives 8 9 towards exercise since retiring from collegiate sport.

10

# Method

## 11 **Participants**

12 Participants (n = 325), who represented all regions of the United States, were invited to participate in a follow up study exploring the well-being of retired female collegiate athletes, 13 six years after the baseline study (XXX et al.). A total of 218 athletes took part (response rate 14 = 67.1%). Participants had previously competed in gymnastics (n = 144) or swimming/diving 15 (n = 74) at the NCAA Division I level. Athletes had been retired from collegiate sport for 2-3 16 years (n = 53), 4 years (n = 52), 5 years (n = 61), and 6 years (n = 51). Athletes retired from 17 their sport due to completing their NCAA eligibility (n = 176; 76.6%), injury (n = 32; 14.7%), 18 no longer wanting to train/compete anymore (n = 8; 3.7%), removal from team by coaching 19 staff (n = 2; 0.9%), and "other" (n = 9; 4.2%). Mean age and BMI were 25.72 years (SD =20 1.19) and 22.31 kg/m<sup>2</sup> (SD = 2.72), respectively. The majority were White/ NonHispanic (n =21 192; 88.1%) and married or in a romantic relationship (n = 165; 75.8%). Ethical approval was 22 granted by the University of XXX Institutional Review Board. Athletes received a \$25 gift-23 card for participation; responses were only identified by a unique code. Data were collected 24 across the entire calendar year of 2015. 25

## 1 **Procedure**

2 Through a secure website, athletes provided demographic information (e.g., age, weight) 3 and reported on their current exercise activities. First, over the past month, participants 4 reported the average number of days per week they exercised and the length (in minutes) of each session. Second, from a list of seven categories (i.e., aerobic/endurance, 5 6 strength/resistance, exercise classes such as Zumba, core strength activities such as yoga/pilates, playing team sports, cross-fit, and "other"), participants indicated the percent of 7 8 exercise time spent in each activity each week; percentages had to equal 100 across the 9 categories. Third, participants rated each of 10 reasons for exercise (e.g., socialize, improve physical health, improve strength/muscularity) on a scale from 1 (not at all important) to 7 10 11 (extremely important).

12 Participants also indicated whether they perceived their physical activity levels to have changed since retiring from sport. Positive responders completed two additional, open-ended 13 questions: (a) "Please describe the changes that have occurred in your physical activity levels 14 15 AND how you have felt about these changes;" and (b) "Please describe how you have coped with these changes in your physical activity levels." Open-ended surveys are valuable for 16 ascertaining qualitative data from large samples, and have previously been used for 17 investigating athletes' attitudes and experiences (Beals, 2003; Kerr et al., 2006). Participants 18 could write as much as they wanted to and there was no time restriction. 19

## 20 Data analysis

To address the first aim, we used the number of years since retirement as the independent variable (four levels, i.e., 2-3 years, 4 years, 5 years, and 6 years) and the athletes' overall days per week spent exercising, minutes per exercise session, percentage of time spent in each exercise activity, and reasons for exercising as the dependent variables. Specifically, we used separate ANOVAs to examine the relation of time in retirement to days

per week exercising and then to minutes spent in each exercise session. We used separate
MANOVAs to test how time since retirement related to percentage of time spent in each of
the seven specified exercises and to importance the athletes gave to the 10 different reasons
for exercising. Alpha was set at .05 for each analysis. Means, SDs, and frequencies (%) were
used to describe the data.

6 Our inductive analysis of responses to the open-ended questions followed Braun, Clarke and Weate's (2016) rigorous stages of thematic analysis. First, multiple readings of 7 8 the data facilitated familiarisation; next, the data were systematically coded and grouped into 9 potential themes. In accordance with suggestions from Braun, Clarke & Weate (2016), coding was driven by the salience of the response as opposed to the length or frequency of 10 responses. In line with our descriptive approach, coding was predominately explicit – 11 12 focussing on overt meaning - rather than implicit. Labels for the themes were then generated, and representative data extracts identified. Themes were given broad names to allow for 13 nuance and variability of experience. Discussions took place within the research team 14 15 throughout the analysis process; not to promote consensus but rather to ensure diligent consideration of alternative interpretations (see Yardley, 2014). This flexible analytical 16 approach (Braun et al., 2016) comes without allegiance to a particular theoretical lens and 17 without stipulations regarding how data should be collected. As such, it can be useful for 18 making sense of data when the aim is to be primarily descriptive rather than interpretive. This 19 20 said, the descriptive approach here does not beget a commitment to a realist thematic analysis; we are of the position that participants' perspectives are not indicative of a fixed, objective 21 Truth but rather are mind-dependent constructions. Our analytical claims fall in line with 22 these relativistic assumptions by emphasising what was "reported" and "described" rather 23 than what was "found" or "discovered" (see Smith & Deemer, 2000). 24

## Results

1 The ANOVAs and MANOVAs across the four dependent variables were nonsignificant in relation to the athletes' years since retirement (all p's > 0.53), thus we present the athletes' 2 exercise activities and reasons based on the full sample. The retired athletes reported 3 exercising almost five days a week (M = 4.72, SD = 1.64) and for approximately one hour per 4 session (M = 55.45 minutes, SD = 27.80). The percentage of time spent in each of the seven 5 exercise activities differed significantly, Wilks' Lambda = .234, F(6, 211) = 115.264, p 6 < .0001, partial  $n^2 = 0.77$ . The athletes spent most of their exercise time engaging in 7 cardiorespiratory/ endurance activities (e.g., running, swimming, biking) and strength or 8 9 resistance training (e.g., free weights, kettle bells). Playing sports was the least frequent activity (Table 1). 10

11 The reasons that the athletes gave for exercising differed significantly in terms of their level of importance, Wilks' Lambda = .124, F(9, 208) = 163.99, p < .0001, partial  $\eta^2 = 0.87$ . 12 The most important reasons for exercising were to improve physical health and self-13 worth/concept. Improvements to mood and physical appearance were also rated as important. 14 Preventing illness/injury, socializing to make friends, preparing for sport competitions, and 15 meeting potential romantic partners were less important reasons for exercising (Table 1). 16 The majority of participants (n = 202; 93.9%) reported changes to their physical 17 activity levels since retirement. Responses to the open ended comments totalled nearly 9,500 18 words. Three main themes were identified: (1) Finding new meanings in exercise, (2) 19 Negotiating exercise independence, and (3) Repositioning exercise in a broader life context. 20 (1) Finding new meanings in exercise. The first theme addressed the altered purpose 21

and experience of exercise post-retirement. The vast majority of athletes described activity
prior to retirement ('training') as goal-directed, externally moderated, time-consuming and
tiring. Most of the athletes had been involved in their sport for many years, and many
reported feeling 'burnt-out,' and/or experiencing persistent injuries and pains; thus continuing

1

2

3

4

eschewed due to the potential for injury or compromising their athletic performance. One 26year-old gymnast reported: "*I enjoy trying new things...golf, tennis, anything other than gymnastics because as a gymnast I didn't have time, or I didn't want to be sore.*"

Although exercising for enjoyment and health benefits were viewed as elements of 8 9 post-retirement physical activity, some athletes expressed an eagerness to retain a competitive nature. For example, a small number of athletes reported making the transition to 'Cross-fit' 10 11 (a competitive fitness sport, characterised by high intensity intervals, weightlifting, flexibility 12 and power). Others reported competing in new activities, such as running, cycling or weightlifting. However, the search for alternative activities was often described as difficult, 13 and some athletes struggled to find anything that motivated them as their sport had done. 14 "It has been hard to find anything as mentally challenging or as motivating as 15 gymnastics. It has taken me a long time to figure out what I like to do to workout... I 16 don't know that I've found anything that I like as much." (25-year-old gymnast) 17 (2) Negotiating exercise independence. The second theme speaks to the challenges 18 associated with exercising independently and accepting personal responsibility for health and 19 20 well-being. Many former athletes referred to a highly structured and externally regulated exercise programme when at college, thus retirement presented an opportunity to make 21 personal decisions about their exercise activities. Some athletes stated they did not want to 22 exercise as much as they had previously done. As one 25-year-old gymnast wrote: "My 23 whole life I had to work out, up until I was done with gymnastics. Once it was more of a 24 choice, I just didn't feel like being so active." For others, the loss of exercise structure was 25

described as anxiety provoking and created significant challenges around developing and
adhering to an exercise schedule. Athletes reported struggling to intrinsically motivate
themselves to exercise without a specific goal or a coach. Further, athletes described missing
the collaborative nature of the coach-athlete relationship, and the collegiality of training with
their teammates.

6 "I do not exercise as much as I used to. I have found that without a coach it is harder to
7 work out, push myself, and to try new things. It's now a lot harder to get to the gym and
8 any excuse is a good one. I have accepted that I am now responsible for myself and my
9 health so it's up to me now."(24-year-old swimmer).

(3) Repositioning exercise in a broader life context. The final theme concerned the 10 ways in which athletes negotiated incorporating exercise into their lives post-retirement from 11 12 sport. Balancing exercise alongside other occupational, academic and social activities was claimed to be challenging, with many athletes frustrated at the limited time they had to 13 exercise. Indeed, many expressed a desire to incorporate more physical activity into their 14 15 daily and weekly schedules. Thus, athletes made the most of the time they did have for exercise by engaging in high intensity activities such as running. Moreover, athletes 16 expressed concerns about the impact of reduced exercise on their body shape and weight, 17 which was closely tied to their identity and self-worth. One 27-year-old gymnast wrote: "I 18 feel like I am losing part of who I am because I don't look as strong as I used to." 19 20 Physical activity took centre stage for many athletes in college, and adapting to a lifestyle where it was no longer the main focus was difficult. One 26-year-old gymnast 21 described: "It is a difficult transition from being so physically active to having to find time to 22 be active. Physical activity was our 'job' in college, now we have to find time outside work to 23 stay fit." Despite these frustrations, athletes acknowledged a need to prioritise family and 24 career commitments, and to embrace new opportunities in retirement: 25

"There are plenty of things to do in adult life. What was once filled with practicing and
working out is filled with lots of other things. There are definitely times I miss being an
athlete, but the stage of life I'm in now is fun too."(24-year-old gymnast)

## Discussion

This is the first study to systematically explore the relationship between years since 5 6 retirement from collegiate sport and athletes' exercise motives and behaviours. In addition, it explored retired athlete's perspectives towards exercise following their retirement from sport. 7 The findings indicated that exercise behaviours and reasons for exercise did not vary 8 according to years since retirement (2, 3, 4, 5 or 6 years). The athletes reported exercising in 9 accordance with current physical activity guidelines, and enjoyed exercising for fun and 10 11 health related reasons. The study offers new insights into the difficulties that retired athletes 12 face in exercising independently, and in accepting a new, less intense exercise routine. Retirement from sport results in many changes to an athlete's lifestyle, including their 13 exercise behaviours and routines (Taylor, Ogilvie, & Lavallee, 2005). Adjusting to these 14 15 changes has been suggested to become easier over time (Douglas & Carless, 2009; Lally, 2007); however exercise motivations and behaviours have yet to be explored during this 16 transition process. The findings demonstrated no associations between years since retirement 17 and athlete's exercise behaviour and motives. Although no clear time frames have been 18 consistently identified for the transition period (Park et al., 2013), it is possible that by two 19 years post-retirement, former collegiate athletes have negotiated an initial crisis period, 20 including changes to exercise, and are starting to construct a new identity beyond sport (Kerr 21 & Dacyshyn, 2000). The transition may also be easier for collegiate athletes to negotiate in 22 comparison to professional athletes because the completion of college presents a clear end 23 point to their athletic career, which can be anticipated and prepared for (Lally, 2007). Indeed, 24

25 most of the athletes in this study retired having completed their NCAA eligibility, which may

have helped to provide closure on their involvement in sport (Stambulova et al., 2007).
 Further research should explore exercise attitudes and behaviours among collegiate athletes
 immediately post-retirement, and draw comparisons with non-athletes in terms of exercise
 frequency, type and motivation.

Regardless of how long they had been retired, athletes exercised in accordance with 5 activity guidelines (Haskell et al., 2007), which is largely in line with existing evidence (e.g., 6 Marquet et al., 2013; Sorenson et al., 2015). We note, however, that the present sample is 7 considerably younger than in previous studies. Athletes expressed a preference for high 8 9 intensity cardiovascular activities as a time efficient means to alleviate body image concerns and to manage negative mood. Although vigorous physical activity confers significant health 10 11 benefits (Haskell et al., 2007), our findings also suggest that former female athletes may 12 engage in compensatory exercise behaviours as a mechanism for coping with undesired bodily changes (Lavallee & Robinson, 2007; Stephan et al., 2007; Stirling et al., 2012). 13 Collegiate athletes coming up to retirement may therefore benefit from support and advice on 14 15 healthy ways to cope with bodily changes on retirement. In addition, the retired athletes expressed frustrations at being unable to exercise as much as they would like (despite 16 meeting physical activity recommendations), which perhaps indicates an elevated and 17 potentially unhealthy threshold for what they believe constitutes sufficient physical activity. 18 Recalibrating beliefs around what is "appropriate" or "enough" in terms of exercise appears 19 20 to be an important outcome for retired athletes.

Very few of the athletes played any form of sport in retirement, which contrasts with
past research (Clowes et al., 2015; Stambulova et al., 2007). The open-ended responses
provided insight into some of the reasons for this discrepancy, with many athletes stating that
they felt 'burnt out' and relieved at being able to exercise for enjoyment rather than for
performance reasons. In addition, many athletes discussed a lack of intrinsic motivation for

1 exercise in retirement. Early specialisation in sport is common among collegiate level athletes 2 (Post et al., 2016), but has been associated with increased risks of burnout and injury (Myer et al., 2015). An early focus on stringent, outcome-oriented training regimens may suppress 3 4 intrinsic motives for exercise among athletes and thus be potentially detrimental to sustainable post-retirement physical activity (Reifsteck et al., 2016; Sorenson et al., 2015). 5 6 Therefore athletic departments and sport organizations may need to provide athletes who are nearing retirement with support on how to maintain a physically active lifestyle. In addition, 7 psychological skills training may be valuable to ensure athletes are equipped to manage the 8 potentially difficult transition into retirement. For example, fostering and promoting self-9 compassion has been suggested as one mechanism to help athletes manage emotionally 10 11 difficult sport situations (e.g., Ferguson, Kowalski, Mack & Sabiston, 2015; Reis et al., 2015). 12 Indeed, higher levels of self-compassion have been associated with increased body acceptance, higher levels of intrinsic exercise motivation, and more active coping styles when 13 faced with negative situations (Ferguson et al., 2015; Magnus, Kowalski & McHugh, 2010). 14 15 Self-compassion interventions therefore, may be an effective strategy to promote healthier perspectives towards the changes in exercise and body that often occur in retirement. 16

To advance this line of inquiry, further research should track retired athletes' exercise 17 attitudes and behaviours longitudinally and over multiple time points. Adopting a prospective 18 design will address retirement-in-action and provide insights into how former athletes' 19 20 exercise behaviours evolve post-sport. Quantitatively, this may be achieved through the monitoring of exercise attitudes and behaviour patterns. In addition, prospective studies could 21 identify predictors of exercise motivation and engagement among retired athletes, thus 22 facilitating targeted intervention and educational efforts. Furthermore, the athletes in this 23 study were only invited to respond to two open-ended questions exploring changes to their 24 exercise, which is likely to have limited the range and type of responses obtained. Therefore, 25

1 to build upon the descriptive thematic analysis presented in this study, researchers should also look to adopt more interpretive qualitative methodologies as a means to better understand 2 3 how athletes make sense of exercise as athletic retirement progresses. Repeat in-depth 4 interviews with retired athletes would encourage rich descriptions of ongoing exercise experiences and give insight into the factors that shape the construction of new and different 5 6 understandings of the physically active self. Interpretive studies of this kind might also focus on the experiences of those whose exercise behaviours do not change on retirement from 7 8 sport. It is equally important to understand what motivates a continued commitment to 9 intense and rigid exercise routines and whether or not this is an adaptive process with healthy outcomes. Although our focus was weight-sensitive sports, future studies should explore 10 whether our findings also apply to other retired athlete groups, such as former non-lean sports 11 12 participants.

13 Conclusions

This innovative study significantly advances our understanding of the exercise 14 15 behaviours and experiences of retired female athletes. The results indicate that although retired female athletes exercise in line with physical activity guidelines, they still perceive 16 this to be insufficient and this can lead to feelings of frustration. Retired female athletes 17 demonstrated a preference towards high intensity exercise, which may be driven by body 18 image concerns and difficulties in adapting to a lifestyle where physical activity is no longer 19 20 the main focus. The findings indicate that athletes may require support on retirement to facilitate the transition towards exercising independently, and in accepting a new, less intense 21 exercise schedule. Future research could adopt interpretive qualitative methodologies to 22 23 obtain further insight into how athletes make sense of exercise as athletic retirement progresses. 24

# 25 Acknowledgements

- 1 This study was part of a larger investigation funded by the National Collegiate Athletic
- 2 Association Sport Science Institute.

1	References
2	Anderson, C.M., Petrie, T.A., & Neumann, C.S. (2012). Effects of sport pressures on female
3	collegiate athletes: A preliminary longitudinal investigation. Sport, Exercise and
4	Performance Psychology, 1(2), 120-134.
5	Beals, K.A. (2003). Eating disorder and menstrual dysfunction screening, education and
6	treatment programs. The Physician and Sportsmedicine, 31(7), 33-38.
7	Braun, V., Clarke, V., & Weate, P. (2016). Using thematic analysis in sport and exercise
8	research. In B. Smith & A.C. Sparkes (Eds.) Routeledge Handbook of Qualitative
9	Research in Sport and Exercise (pp. 191-205). London: Routledge.
10	Clowes, H., Lindsay, P., Fawcett, L., & Knowles, Z.R. (2015). Experiences of the pre and
11	post retirement period of female elite artistic gymnastics: An exploratory study. Sport
12	and Exercise Psychology Review, 11(2). ISSN 1745-4980.
13	Douglas, K., & Carless, D. (2009). Abandoning the performance narrative: Two women's
14	stories of transition from professional sport. Journal of Applied Sport Psychology, 21(2),
15	213-230.
16	Ferguson, L.J., Kowalski, K.C., Mack, D.E., & Sabiston, C.M. (2015). Self-compassion and
17	eudaimonic well-being during emotionally difficult times in sport. Journal of Happiness
18	Studies, 16, 1263-1280.
19	Haskell, W.L., Lee, I.M., Pate, R.R., Powell, K.E., Blair, S.N., Franklin, B.A & Bauman,
20	A. (2007). Physical activity and public health: updated recommendation for adults from
21	the American College of Sports Medicine and the American Heart Association. Medicine
22	and Science in Sports and Exercise, 39, 1423-1434.
23	Kerr, G., Berman, E., & De Souza, M.J. (2006). Disordered eating in women's gymnastics:
24	Perspectives of athletes, coaches, parents and judges. Journal of Applied Sport
25	Psychology, 18(1), 28-43.
26	Kerr, G., & Dacyshyn, A. (2000). The retirement experiences of elite, female gymnasts.
27	Journal of Applied Sport Psychology, 12(2), 115-133.

1	Lally, P. (2007). Identity and athletic retirement: A prospective study. Psychology of Sport
2	and Exercise, 8(1), 85-99.
3	Lavallee, D., & Robinson, H.K. (2007). In pursuit of an identity: A qualitative exploration of
4	retirement from women's artistic gymnastics. Psychology of Sport and Exercise, 8(1),
5	119-141.
6	Magnus, C.M.R., Kowalski, K.C., & McHugh, T.L.F. (2010). The role of self-compassion in
7	women's self-determined motives to exercise and exercise related outcomes. Self and
8	Identity, 9 (4), 363-382.
9	Marquet, L.A., Brown, M., Tafflet, M., Nassif, H., Mouraby, R., Bourhaleb, S &
10	Desgorces, F.D. (2013). No effect of weight cycling on the post career BMI of weight
11	class elite athletes. BMC Pub Health, 5, 510.
12	Myer, G.D., Jayanti, N., Difiori, J.P., Faigenbaum, A.D., Kiefer, A.W., Logerstedt, D., &
13	Micheli, L.J. (2015). Does early sport specialization increase negative outcomes and
14	reduce the opportunity for success in young athletes? Sports Health. Doi:
15	10.1177/1941738115598747
16	Park, S., Lavallee, D., & Tod, D. Athlete's career transition out of sport: A systematic review.
17	International Review of Sport and Exercise Psychology, 6(1), 22-53.
18	Post, E.G., Thein-Nissenbaum, J.M., Stiffler, M.R., Brooks, M.A., Bell, D.R., Sanfilippo,
19	J.L& McGuine, T.A. (2016). High school sport specialization patterns of current
20	Division I Athletes. Sports Health, Doi:10.1177/1941738116675455
21	Reifsteck, E.J., Gill, D.L., & Labban, J.D. (2016). "Athletes" and "exercisers":
22	Understanding identity, motivation and physical activity participation in former college
23	athletes. Sport, Exercise and Performance Psychology, 5(1), 25-38
24	Reis, N.A., Kowalski, K.C., Ferguson, L.J., Sabiston, C.M., Sedgwick, W.A., & Crocker,
25	P.R.E. (2015). Self-compassion and women athletes' responses to emotionally difficult
26	sport situations: An evaluation of a brief induction. Psychology of Sport and Exercise,
27	16(3), 18-25.

1	Smith, J. K., & Deemer, D. (2000). The problem of criteria in the age of relativism. In N.
2	K. Denzin & Y. S. Lincoln (Eds.), The Sage handbook of qualitative research (2nd
3	ed., pp. 877-896). London: Sage.
4	Sorenson, S.C., Romano, R., Azen, S.P., Schroeder, E.T., & Salem, G.J. (2015). Life span
5	exercise among elite intercollegiate student athletes. Sports Health, 7(1), 80-86.
6	Stambulova, N., Stephan, Y., & Jäphag, U. (2007). Athletic retirement: A cross-national
7	comparison of elite French and Swedish athletes. Psychology of Sport and Exercise, 8(1),
8	101-118
9	Stephan, Y., Bilard, J., Ninot, G., & Delignieres D. (2003a). Repercussions of transition out
10	of elite sport on subjective well-being: A one year study. Journal of Applied Sport
11	Psychology, 15(4), 354-371.
12	Stephan, Y., Bilard, J., Ninot, G., & Delignieres, D. (2003b). Bodily transition out of elite
13	sport: A one year study of physical self and global self-esteem among transitional
14	athletes. International Journal of Sport and Exercise Psychology, 1(2), 192-207.
15	Stephan, Y., Torregrosa, M., & Sanchez, X. (2007). The body matters: Psychophysical
16	impact of retiring from elite sport. Psychology of Sport and Exercise, 8(1), 73-83.
17	Stirling, A.E., Cruz, L.C., & Kerr, G.A. (2012). Influence of retirement on body satisfaction
18	and weight control behaviors: Perceptions of elite rhythmic gymnasts. Journal of Applied
19	Sport Psychology, 24(2), 129-143.
20	Taylor, J., Ogilvie, B., & Lavallee, D. (2005). Career transition among elite athletes: Is there
21	life after sports? In J. M. Williams (Ed.), Applied sport psychology: Personal growth to
22	peak performance (5th ed., pp. 595–615). Columbus, OH: McGraw-Hill
23	Theberge, N. (2007). 'It's not about health, it's about performance': Sport medicine, health
24	and the culture of risk in Canadian sport. In J. Hargreaves & P. Vertinsky (Eds.),

*Physical culture, power, and the body* (pp176-195). New York: Routledge.

- 1 Weiler, R., Aggio, D., Hamer, M., Taylor, T., & Kumar, B. (2015). Sedentary behaviour
- 2 among elite professional footballers: health and performance implications. *BMJ Open*
- 3 *Sport and Exercise Medicine*, *1*(1), e000023.
- 4 Witkowski, S., & Spangenburg, E.E. (2008). Reduced physical activity and the retired athlete:
- 5 A dangerous combination. *British Journal of Sports Medicine*, 42(12), 952-953.
- 6 Yardley, L. (2014). Demonstrating validity in qualitative psychology. In JA Smith (Ed.),
- 7 *Qualitative Psychology. A practical guide to research methods* (p235-252). London,

8 Sage.

- 1 Table 1: Exercise behaviours and reasons for exercising among retired female athletes (n =
- 2 218)

	Mean (SD)
Percentage of exercise time spent in:	
Cardiorespiratory/aerobic/endurance activities (e.g., running,	43.64% (30.16) <sup>a</sup>
swimming, biking)	
Strength or resistance training (e.g., free weights, kettle bells)	20.21% (20.85) <sup>b</sup>
Core strength activities (e.g., Yoga, Pilates, Pure Barre)	10.37% (18.04) <sup>c</sup>
Cross-fit training	9.08% (23.91) <sup>c</sup>
Other physical activities	7.85% (23.11) <sup>c</sup>
Exercise classes (e.g., spin, Zumba, etc.)	7.42% (15.85) <sup>c</sup>
Playing sports	1.43% (8.30) <sup>d</sup>
<b>Reasons for exercise</b> (1 = not at all important, 7 = extremely important)	Mean (SD)
To improve physical health	6.23 (1.05) <sup>a</sup>
To improve self-worth/concept	5.96 (1.24) <sup>b</sup>
To improve mood	5.80 (1.40) <sup>b,c,d</sup>
To improve physical appearance	5.74 (1.32) <sup>c,d,e</sup>
To improve endurance/cardiorespiratory health	5.70 (1.27) <sup>c,d,e</sup>
To improve strength/muscularity	5.59 (1.40) <sup>d,e</sup>
To prevent illness/injury	5.23 (1.58) <sup>f</sup>
Socialising to make friends	3.67 (1.94) <sup>g</sup>
To prepare for sport competitions	2.51 (1.84) <sup>h</sup>
To meet potential romantic partners	1.94 (1.59) <sup>i</sup>

a,b – mean scores that do not share common superscripts are different at p< .05