This item was submitted to [Loughborough's Research Repository](#) by the author.
Items in Figshare are protected by copyright, with all rights reserved, unless otherwise indicated.

A to Z of nutritional supplements: dietary supplements, sports nutrition foods and ergogenic aids for health and performance - part 31

PLEASE CITE THE PUBLISHED VERSION

<http://dx.doi.org/10.1136/bjsports-2012-090981>

PUBLISHER

BMJ Publishing Group © the authors

VERSION

VoR (Version of Record)

LICENCE

CC BY-NC-ND 4.0

REPOSITORY RECORD

Gleeson, Michael, J.C. Siegler, L.M. Burke, S.J. Stear, and L.M. Castell. 2019. "A to Z of Nutritional Supplements: Dietary Supplements, Sports Nutrition Foods and Ergogenic Aids for Health and Performance - Part 31". figshare. <https://hdl.handle.net/2134/10576>.

This item was submitted to Loughborough's Institutional Repository (<https://dspace.lboro.ac.uk/>) by the author and is made available under the following Creative Commons Licence conditions.

For the full text of this licence, please go to:
<http://creativecommons.org/licenses/by-nc-nd/2.5/>

A-Z of nutritional supplements: dietary supplements, sports nutrition foods and ergogenic aids for health and performance **Part 31**

M Gleeson¹ J Siegler² L M Burke³ S J Stear⁴ L M Castell⁵

¹School of Sport, Exercise and Health Sciences, Loughborough University, Loughborough, UK

²School of Biomedical and Health Sciences, University of Western Sydney, Penrith, Australia

³Australian Institute of Sport, Canberra, Australia

⁴Performance Influencers Limited, London, UK

⁵Green Templeton College, University of Oxford, Oxford, UK

Corresponding Editor: L M Castell, Green Templeton College, University of Oxford, Oxford OX2 6HG; lindy.castell@gtc.ox.ac.uk

INTRODUCTORY REMARKS

This issue deals with the increasingly interesting topic of probiotics and also, slightly out of alphabetical order, with pycnogenol, a product usually associated with pine bark. Probiotics are food supplements containing live microorganisms. They modify intestinal microbiota in a way that enables beneficial bacteria to increase. An additional benefit is that probiotics in sufficient quantities also tend to decrease those species of bacteria which are considered harmful. It is suggested that this situation produces many potential benefits for the health and functioning of the digestive system, and also has a beneficial effect on immune function. In the short review below, the effects of probiotics and their efficacy in reducing infection incidence (or symptom severity/duration) in athletes are summarised. Pycnogenol supplementation has previously been considered to have a range of beneficial effects, including anti-oxidant and anti-inflammatory properties.

Probiotics

M Gleeson

Probiotics are food supplements that contain live microorganisms which when administered in adequate amounts can confer a health benefit on the host.¹ There is now a reasonable body of evidence

that regular consumption of probiotics strains that are proven to survive gut transit can modify the population of the gut dwelling bacteria (microbiota) and influence immune function²⁻⁵ though it should be noted that such effects are dose and strain dependent. Probiotics modify the intestinal microbiota such that the numbers of beneficial bacteria increase and usually numbers of species considered harmful are decreased. Such changes have been associated with a range of potential benefits to the health and functioning of the digestive system, as well as modulation of immune function.

Probiotics have several mechanisms of action. By their growth and metabolism, they help inhibit the growth and reduce potentially harmful effects of other bacteria, antigens, toxins and carcinogens in the gut. In addition, probiotics are known to interact with the gut-associated lymphoid tissue, leading to positive effects on the innate and even the acquired immune system.

Studies have shown that probiotic intake can improve rates of recovery from rotavirus diarrhoea, increase resistance to enteric pathogens, and promote anti-tumour activity.²⁻⁴ Some evidence suggests that probiotics may be effective in alleviating some allergic and respiratory disorders in young children.^{6,7} In recent years it has become evident that some probiotics, particularly *Lactobacillus* (L.) strains, when ingested on a daily basis, can reduce upper respiratory tract infection (URTI) incidence in adults.⁸⁻¹²

Probiotic intervention studies in athletes

Although there are few published studies of the effectiveness of probiotic use in athletes, there is growing interest in examining their potential to help to maintain overall general health, enhance immune function or reduce URTI incidence and symptom severity/duration.^{13 14}

A *L. rhamnosus* GG supplement was investigated in 141 marathon runners who were recruited for a randomized, double-blind intervention study in which they received probiotic or placebo daily for a 3-month training period and then participated in a marathon race with a 2-week follow-up of illness symptoms.¹⁵ Although there were no differences in the number of URTI or gastrointestinal symptom episodes, the duration of gastrointestinal symptom episodes in the probiotic group was shorter than in the placebo group during the training period (2.9 versus 4.3 days) and during the 2 weeks after the marathon (1.0 versus 2.3 days). In a double-blind, placebo-controlled, cross-over trial in which healthy

elite distance runners received the probiotic *L. fermentum* or placebo daily for 28 days with a 28-day washout period between the initial and the second treatment, athletes (n=20) suffered fewer days of respiratory illness and lower severity of respiratory illness symptoms when taking the daily probiotic.¹⁶ The probiotic treatment also elicited a two-fold greater change in whole-blood culture interferon (IFN)- γ production compared with placebo, which may be one mechanism underpinning the positive clinical outcomes. In another study of athletes who presented with fatigue, impaired performance and a deficit in blood CD4+ (T-helper) cell IFN- γ production compared with healthy control athletes, this apparent T cell impairment was reversed following a one-month course of daily probiotic (*L. acidophilus*) ingestion.¹⁷

In a study on the effect of a *L. casei* probiotic supplement on URTI and immune and hormonal changes in soldiers participating in 3 weeks of commando training followed by a 5-day combat course, no difference in infection incidence between groups receiving daily probiotic or placebo was reported.¹⁸ Among the immune parameters investigated, the major finding was a significant decrease in salivary immunoglobulin A (IgA) concentration after the combat course in the placebo group, with no change over time in the probiotic group. A recent randomised, placebo controlled trial in 64 university athletes reported a lower incidence of URTI episodes during a 4-month winter training period in subjects receiving daily probiotic (*L. casei* Shirota) compared with placebo and this study also reported better maintenance of salivary IgA in the probiotic group.¹⁹ Importantly, in both athlete and non-athlete populations, falls in saliva IgA have been associated with increased URTI incidence.²⁰ Another recent study using *L. fermentum* reported reduced URTI incidence among male but not female athletes during 11 weeks of training.²¹

Conclusions

From the research reviewed here, one cannot reach a solid conclusion of probiotic benefit for sports people. Nevertheless, there is now sufficient understanding of the mechanism of action of certain probiotic strains, and enough evidence from trials with highly physically active people to signify that this is a promising area of research with mostly positive indications at present. To date most studies of probiotic interventions in athletes have been relatively small scale; subsequently some large scale, double-blind, placebo-controlled trials are needed to confirm likely probiotic benefits for athletes.

Pycnogenol

J Siegler

Pycnogenol (also referred to commonly as picnogel or pycnogel) is a combination of active bioflavonoids produced from the bark of the *Pinus maritime* pine tree. Pycnogenol supplementation has been reported to have a wide array of health benefits, including improved cognitive function, endothelial function, blood pressure regulation and venous insufficiency. Pycnogenol also may act as an anti-inflammatory agent.^{1,2} In most instances, reference is made to pycnogenol as a powerful antioxidant due to the proportionally high levels of procyanidins within the compound.³

Recommended doses of pycnogenol range widely and depend upon the treatment aim. For example, to combat chronic venous insufficiency recommended doses range from 150-360 mg/day, whereas others have recommended approximately 75-90 mg/day to prevent oxidative tissue damage.^{2,4} In a majority of clinical trials, the duration of supplementation is generally 2-3 months. Side effects of pycnogenol supplementation are minimal. There is at least one commercial sports supplement based on pycnogenol which claims to enhance performance and fatigue resistance, and preliminary evidence of such benefits requires further substantiation²⁶. One problem of such supplements, however, is the lack of information on the dosage of claimed active ingredients.

CONCLUDING COMMENTS

Supplementation with probiotics seems to be a promising area for future research. However, as yet there is insufficient evidence to recommend this supplement unreservedly for use by athletes. A wide range of conditions and outcomes using probiotic supplementation has been studied, sometimes in rather small scale trials. Further research is needed in this area, and it is important that this should focus upon large scale, double-blind, placebo-controlled trials.

Pycnogenol has been reported to have some favourable effects in several clinical studies, using a wide range of doses, with little evidence of side effects. However, claims and preliminary evidence of its benefits to sports performance require further study.

References

1. WHO/FAO Joint Working Group. Guidelines for the evaluation of probiotics in food, 2002. http://www.who.int/foodsafety/fs_management/en/probiotic_guidelines.pdf
2. Matsuzaki T. Immunomodulation by treatment with *Lactobacillus casei* strain Shirota. *Int J Food Microbiol* 1998;**41**:133-40.
3. Mengheri E. Health, probiotics and inflammation. *J Clin Gastroenterol* 2008;**42**:S177-8.
4. Minocha A. Probiotics for preventive health. *Nutr Clin Prac* 2009;**24**:227-41.
5. Borchers AT, Selmi C, Meyers FJ, *et al.* Probiotics and immunity. *J Gastroenterol* **44**:26-46.
6. Kopp-Hoolihan L. Prophylactic and therapeutic uses of probiotics: a review. *J Am Dietetic Assoc* 2001;**101**:229-38.
7. Leyer GJ, Li S, Mubasher ME, Reifer C, Ouwehand AC. Probiotic effects on cold and influenza-like symptom incidence and duration in children. *Pediatrics* 2009;**124**:e172-9.
8. de Vrese M, Winkler P, Rautenberg P, *et al.* Effect of *Lactobacillus gasseri* PA 16/8, *Bifidobacterium longum* SP 07/3, *B. bifidum* MF 20/5 on common cold episodes: a double blind, randomized, controlled trial. *Clin Nutr* 2005;**24**:481-91.
9. Winkler P, de Vrese M, Laue Ch, Schrezenmeir J. Effect of a dietary supplement containing probiotic bacteria plus vitamins and minerals on common cold infections and cellular immune parameters. *Int J Clin Pharmacol Ther* 2005;**43**:318-26.
10. Guillemard Guillemard E, Tanguy J, Flavigny A, *et al.* Effects of consumption of a fermented dairy product containing the probiotic *Lactobacillus casei* DN-114 001 on common respiratory and gastrointestinal infections in shift workers in a randomized controlled trial. *J Am Coll Nutr* 2010;**29**:455-68
11. Berggren A, Lazou Ahrén I, Larsson N, Önning G. Randomised, double-blind and placebo-controlled study using new probiotic lactobacilli for strengthening the body immune defence against viral infections. *Eur J Nutr* 2011;**50**:203-10.
12. Hao Q, Lu Z, Dong BR, Huang CQ, Wu T. Probiotics for preventing acute upper respiratory tract infections. *Cochrane Database Syst Rev* 2011;**9**:CD006895.
13. Gleeson M, Thomas L. Exercise and immune function. Is there any evidence for probiotic benefit for sports people? *Complete Nutr* 2008;**8**:3-37.
14. West NP, Pyne DB, Peake JM, Cripps AW. Probiotics, immunity and exercise: a review. *Exerc Immunol Rev* 2009;**15**:107-26.

15. Kekkonen RA, Vasankari TJ, Vuorimaa T *et al.* The effect of probiotics on respiratory infections and gastrointestinal symptoms during training in marathon runners. *Int J Sport Nutr Exerc Metab* 2007; **17**:352-83.
16. Cox AJ, Pyne DB, Saunders PU, Fricker PA. Oral administration of the probiotic *Lactobacillus fermentum* VRI-003 and mucosal immunity in endurance athletes. *Br J Sports Med* 2010;**44**:222-6.
17. Clancy RL, Gleeson M, Cox A, et al. Reversal in fatigued athletes of a defect in interferon gamma secretion after administration of *Lactobacillus acidophilus*. *Br J Sports Med* 2006;**40**:351-4.
18. Tiollier E, Chennaoui CDTM, Gomez-Merino D *et al.* Effect of a probiotic supplementation on respiratory infections and immune and hormonal parameters during intense military training. *Mil Med* 2007;**172**:1006-11.
19. Gleeson M, Bishop NC, Oliveira M, Tauler P. Daily probiotic's (*Lactobacillus casei* Shirota) reduction of infection incidence in athletes. *Int J Sport Nutr Exerc Metab* 2011;**21**:55-64.
20. Walsh NP, Gleeson M, Shephard RJ, Gleeson M , Woods JA, Bishop NC, Fleshner M, Green C, Pedersen BK, Hoffman-Goetz L, Rogers CJ, Northoff H, Abbasi A, and Simon P. (2011) Position Statement Part One: Immune function and exercise. *Exercise Immunology Review* **17**: 6-63.
21. West NP, Pyne DB, Cripps AW *et al.* *Lactobacillus fermentum* (PCC®) supplementation and gastrointestinal and respiratory tract illness symptoms: a randomised control trial in athletes. *Nutr J* 2011;**10**:30.
22. Rohdewald P. A review of the French maritime pine bark extract (Pycnogenol), a herbal medication with a diverse clinical pharmacology. *Int J Clin Pharmacol Ther* 2002;**40**(4):158-68.
23. Maimoona A, Naeem I, Saddiqe Z, *et al.* A review on the biological, nutraceutical and clinical aspects of French maritime pine bark extract. *J Ethnopharmacol* 2011;**133**(2):261-77.
24. Grimm T, Schaefer A, Hogger P. Antioxidant activity and inhibition of matrix metalloproteinases by metabolites of maritime pine bark extract. *Free Radic Biol Med* 2004;**36**(6):811-22.

25. Saliou C, Rimbach G, Moini H, *et al.* Solar ultraviolet-induced erythema in human skin and nuclear factor-kappa-B-dependent gene expression in keratinocytes are modulated by a French maritime pine bark extract. *Free Radic Biol Med* 2001;30(2):154-60.
26. Bentley DJ, Dank S, Coupland R, Midgley A, Spence I. Acute antioxidant supplementation improves endurance performance in trained athletes *Res Sports Med.* 2012; 20(1):1-12.

Conflicts of Interest None declared

Provenance and peer review Commissioned; not externally peer reviewed