This item was submitted to [Loughborough's Research Repository](#) by the author.
Items in Figshare are protected by copyright, with all rights reserved, unless otherwise indicated.

Energyscapes: linking the energy system and ecosystem services in real landscapes

PLEASE CITE THE PUBLISHED VERSION

<http://dx.doi.org/10.1016/j.biombioe.2012.05.025>

PUBLISHER

© Elsevier

VERSION

SMUR (Submitted Manuscript Under Review)

LICENCE

CC BY-NC-ND 4.0

REPOSITORY RECORD

Howard, David C., Paul J. Burgess, Simon J. Butler, Steve J. Carver, Timothy Cockerill, Alastor M. Coleby, Guohui Gan, et al.. 2019. "Energyscapes: Linking the Energy System and Ecosystem Services in Real Landscapes". figshare. <https://hdl.handle.net/2134/9767>.

This item was submitted to Loughborough's Institutional Repository (<https://dspace.lboro.ac.uk/>) by the author and is made available under the following Creative Commons Licence conditions.

For the full text of this licence, please go to:
<http://creativecommons.org/licenses/by-nc-nd/2.5/>

Manuscript Number: JBB-D-11-01143R1

Title: Energyscapes: linking the energy system and ecosystem services in real landscapes

Article Type: Special Issue:Energy landscape(REBECa)

Keywords: energyscape, ecosystem services, energy system, Britain, Marston Vale

Corresponding Author: Dr David Howard,

Corresponding Author's Institution: Centre for Ecology & Hydrology

First Author: David C Howard

Order of Authors: David C Howard; Paul J Burgess; Simon J Butler; Steve J Carver; Timothy Cockerill; Alastor M Coleby; Guohui Gan; Chris I Goodier; Dan van der Horst; Klaus Hubacek; Richard Lord; Andrew Mead; Monica Rivas-Casado; Richard A Wadsworth; Paul Scholefield

Abstract: The drive for sustainable energy production is leading to increased deployment of land based renewables. Although there is public support, in principle, for renewable energy at a national level, major resistance to renewable energy technologies often occurs at a local level. Within this context, it can be useful to consider the "energyscape" which we initially define as the complex spatial and temporal combination of the supply, demand and infrastructure for energy within a landscape. By starting with a consideration of the energyscape, we can then consider the positive and negative interactions with other ecosystem services within a particular landscape. This requires a multi-disciplinary systems-approach that uses existing knowledge of landscapes, energy options, and the different perspectives of stakeholders. The approach is examined in relation to pilot case-study comprising a 155 km² catchment in Bedfordshire, England.

Energyscapes Highlights

- Novel approach setting the whole energy system in a real landscape context.
- Describes a method that can be used to clarify how different groups view biomass deployment
- Uses different stakeholders perspectives of how the landscape interacts with all ecosystem services and how modifications of the energy system will influence them.
- Demonstrated for Marston Vale, a sub catchment of the Great Ouse in eastern England.
- Applicable across spatial scales and geographic zones.

Energyscapes: linking the energy system and ecosystem services in real landscapes

Howard, D.C.^{1*}, Burgess, P.J.², Butler, S.J.³, Carver, S.J.⁴, Cockerill, T.⁵, Coleby, A.M.⁶, Gan, G.⁷,
Goodier, C.J.⁸, van der Horst, D.⁹, Hubacek, K.¹⁰, Lord, R.¹¹, Mead, A.¹¹, Rivas-Casado, M.²,
Wadsworth, R.A.¹ and Scholefield, P.¹

^{1*}Centre for Ecology & Hydrology, Lancaster Environment Centre, Lancaster, LA1 4AP UK,

²School of Applied Sciences, Cranfield University, Cranfield, Bedfordshire, MK43 0AL UK

³School of Biological Sciences, University of East Anglia, Norwich, NR4 7TJ UK

⁴School of Geography, University of Leeds, Leeds LS2 9JT, UK

⁵Centre for Environmental Policy, Imperial College London, South Kensington Campus, London
SW7 2AZ, UK

⁶School of Earth and Environment, University of Leeds, Leeds, LS2 9JT, UK

⁷Faculty of Engineering, University of Nottingham, University Park, Nottingham, NG7 2RD, UK

⁸Department of Civil and Building Engineering, Loughborough University, Loughborough, LE11
3TU, UK

⁹School of Geography, Earth & Environmental Science, University of Birmingham, Birmingham B15
2TT, UK

¹⁰Department of Geographical Sciences, University of Maryland, College Park, MD 20742, USA

¹¹ Department of Civil & Environmental Engineering, University of Strathclyde, Glasgow,
G4 ONG UK

¹¹Life Sciences, University of Warwick, Wellesbourne, Warwick, CV35 9EF, UK

*Corresponding author

Centre for Ecology & Hydrology

Lancaster Environment Centre

Library Avenue,

Bailrigg,

Lancaster

LA1 4AP

United Kingdom

Telephone: + 44 (0) 1524 595831

FAX: +44 (0)1524 61536

e-mail: dhoward@ceh.ac.uk

Abstract

The drive for sustainable energy production is leading to increased deployment of land based renewables. Although there is public support, in principle, for renewable energy at a national level, major resistance to renewable energy technologies often occurs at a local level. Within this context, it can be useful to consider the “energyscape” which we initially define as the complex spatial and temporal combination of the supply, demand and infrastructure for energy within a landscape. By starting with a consideration of the energyscape, we can then consider the positive and negative interactions with other ecosystem services within a particular landscape. This requires a multi-disciplinary systems-approach that uses existing knowledge of landscapes, energy options, and the different perspectives of stakeholders. The approach is examined in relation to pilot case-study comprising a 155 km² catchment in Bedfordshire, England.

Keywords: energyscape, ecosystem services, energy system, Britain, Marston Vale

1. Introduction

Human use of energy is the major driver of anthropogenic climate change and challenges our ability to live sustainably [1] and [2]. However energy and climate change are not the only issues that determine sustainability, as we must also maintain and ideally enhance the ecological and social systems on which we depend. The benefits (and dis-benefits) that we gain from ecological systems are termed ecosystem services [3], [4], [5] and [6] and wise stewardship of the Earth requires us to understand how changes in energy demand, production and supply affect such services. For some ecosystem services, such as the provision of food, the interactions can be examined using established spatial models. By contrast it has proved to be less easy to quantify the impact on the cultural services within a given area, and it is often these issues that form the focus of objections to renewable energy development.

The need for a low carbon energy system is seen as an essential part of the solution to anthropogenic climate change and is recognized by Governments (e.g. [7]). However, there is growing recognition that the deployment of low carbon energy technologies may have substantial impacts on a range of ecosystem services in the locality where they are deployed [8]. Most land based renewables (LBR), including bioenergy, have a lower energy content than fossil fuels and consequently have much larger spatial footprints. This need for increased land area and more efficient use has led to a growing interest in more distributed approaches to energy production and distribution as a way to reduce carbon emissions [9]. In addition human population growth and increasing per capita consumption places further demands on land to provide food, fiber, and potable water; space for accommodation, occupation and recreation; and conservation of natural and social heritage. Modification of any of these services may compromise the delivery of others and the risk of such trade-offs must be recognized if conflicts between policies and goals are to be avoided.

New tools are needed to allow us to understand how changes to our energy system (both large and small) interact with ecosystem services, both in terms of technical assessments and in terms of planning decisions [10]. The standard approach for assessment involves planning applications and environmental impact assessments that narrowly focus on selected elements and exclude other

important features. The situation is exacerbated by the potential deployment of different combinations and scales of renewable energy technologies in different localities. In these circumstances, the largely unknown synergies and conflicts generated by the technologies may well produce outcomes different from the sum of their individual effects.

As the provision of energy becomes decentralized the issues become more location and site-specific; it will become increasingly important to consider energy demand, production and supply in a more local area or landscape context. Decision makers are faced with the challenge of developing systems which will allow local sources of energy to be incorporated with currently centralized supplies. There is currently uncertainty regarding the stability and temporal dynamics of the interactions between different renewable technologies and local energy demand, this is complicated by the historical legacy and the infrastructure needed to deliver the energy generated. Some of this uncertainty is associated with the relatively poor availability of data with which to investigate local spatial interactions consistently across regional or national scales. Perhaps surprisingly, even nationally available basic resource data are often insufficiently detailed to reliably identify technically optimal locations for smaller scale renewable energy installations, let alone support analysis of more subtle issues (e.g. [11]). The widespread acceptance of the incompatibility of datasets and modeling across scales also creates a schism between local and national planning.

The difficulty of understanding the impact of changes to the energy system is further compounded by our limited understanding of how it affects the provision of ecosystem services at a range of scales, from local to national and global. Each environmental function is potentially affected by changes to land management and the exploitation of associated ecosystem services; their response may be immediate or show delay and variation over time making the system impossible to model accurately. While there is plenty of research devoted to developing approaches for the technical and economic optimization of distributed generation systems (e.g. [12] and [13]), taking the perspective of the whole system is rare [14]. Ecosystem services and their social effects, have been largely neglected [15] and where they have been examined they are usually considered at the national or larger scales, rarely considering local impacts, interactions and multiple effects [16]. Where environmental

99 considerations are taken into account, these are largely constrained to direct impacts such as
100 atmospheric carbon emissions (e.g.[17] and [18]). Our understanding of how to deploy energy
101 production technologies to minimize negative local impacts and maximize energy benefits is usually
102 incomplete and inconsistent. In fact, there is generally a disconnect in our understanding of actions
103 and impacts elsewhere.

104 From the problems described above, it is clear that we do not currently have sufficient understanding
105 of the processes and complexity in the real world to effectively forecast the impacts of changes to the
106 energy system. Here we propose an alternative method of viewing the system, which provides the
107 broader, whole system perspective that is needed for energy planning. It recognizes the importance of
108 different spatial scales and uses scenario studies to explore with stakeholders the desirability and
109 feasibility of particular local or regional interventions into the energy system. The approach requires
110 a change in paradigm for most energy researchers who take a strictly scientific reductionist view. We
111 recognize that this cannot be achieved rapidly, but in this paper we present a framework that will
112 enable and encourage new spatial models, theories and datasets to be developed, accessed and used
113 interchangeably (what is known as ‘plug and play’). It also allows existing national land use
114 databases such as the Countryside Survey [19] to be used to assist interpretation across scales and
115 targeting of resources to maximize the returns from existing data.

116 Most traditional modeling of the energy system employs an additive approach, concentrating on
117 energy sources. These are each examined and then their outputs summed; the calculations are usually
118 aspatial, taking no account of the geographic distribution of material, let alone any interactions. Even
119 where demand is included (e.g. [20]) geography and interactions are ignored. Efforts have been made
120 to link such energy production models to a spatial infrastructure (e.g. [21]), but not the whole system.
121 These models serve a valuable purpose in providing a crude estimate of overall potential, but they are
122 impossible to interpret for local environmental impacts [22] and are imperfect for assessment in the
123 context of productivity in the wider economy. Our long term vision is to develop a flexible spatio-
124 temporal analysis framework in which the impacts of changes in energy system configurations can be
125 identified for any specified area. The consequences of the change will be judged by a comprehensive

range of environmental and socio-technical indicators. The framework will need to represent (i) actual and potential energy sources, (ii) energy transportation pathways, (iii) the energy demand across a local area and (iv) be capable of seamlessly linking to examinations of other ecosystem goods and services. Taken in its entirety, we call this the “energyscape” of the local area (a term first used with this breadth by Louise Heathwaite [23]). Combining such a framework with, for example, models of ecosystem behavior could provide a new means to facilitate “what-if” comparisons of alternative approaches to distributed generation. Ultimately it might be possible to highlight the trade-offs between different scenarios and, with recognition of the different value judgments and interests associated with different stakeholders, reduce land use conflicts. Optimal energy solutions combining the technical elements of the energy landscape should not only minimize their wider impact but also be set in the context of sustainability.

Our project involved a one year pilot study to discover the potential benefits and obstacles in using a whole system approach to evaluate the energy system. Our aim was to determine how an understanding of the energyscape and ecosystem services could help guide the deployment of LBR. To deliver this we examined energy system options in the context of the wider landscape by taking into consideration the interactions both between the energy components and ecosystem services. We are seeking to use it both as a proof of concept and a test bed in which we can identify the techniques needed, beneficiaries and differences to the current reductionist approaches; a major deliverable for the future will be a generic system that will advance evidence based sustainable development.

In this paper we propose a new approach incorporating the whole landscape in terms of structure and process viewed from an energy perspective that can help surmount the problems of the complex dynamic system described above. We will describe the components of our project that demonstrate how to collect evidence for better planning, take account of different people’s perspectives and prepare for dramatic changes in land use.

2. Materials and Methods

2.1 Defining the energyscape

Although the term “energyscape” was used in New Zealand for a project (started in 2007) which developed long range assessments of national energy flows [24], there is, to our knowledge, no formal definition of an “energyscape”. As a term, energyscapes sounds familiar and people intuitively make their own definition, but our first goal was to formalize a succinct, explicit definition. As a large interdisciplinary team of natural and social scientists we discussed (at length) and eventually agreed on a working definition of an energyscape as “the complex spatial and temporal combination of the supply, demand and infrastructure for energy within a landscape”. To ensure that this definition was both comprehensive and complete we contributed and commented on ideas on a wiki on the World Wide Web. The discussion focused on both the definition and the characteristics of an energyscape.

2.2 Case study

The second part of this paper briefly describes the application of an energyscapes framework for a case study area. The selected case study site, covering 155 km², was Marston Vale (Figure 1), a sub-catchment of the Great Ouse river in Bedfordshire, United Kingdom (UK). The land use, including currently consented development, is reasonably typical of lowland England being 69% agricultural land, 12% urban, 8% woodland and 11% other including water and landfill [25]. The population density is predicted to increase to a level (3.1 people per ha), which is between the density for England (3.9 people per ha) and the UK (2.5 people per ha). A full description of the site and the methodology is provided by Burgess et al [26], but the key issues are mentioned here for clarity. As a demonstration of the application of the energyscapes concept in Marston Vale, a GIS was constructed using ArcGIS [27]. Datasets describing a broad range of environmental characteristics (e.g. soil, climate, geology, topography) and land cover (using aerial photographs, Land Cover Map 2007 and field survey) were collated so that the existing functions of Marston Vale could be assessed. The functions were examined through the application of different models for production of both energy (e.g. biomass, wind, solar, ground-source heat, and landfill biogas) and other goods and services (such as food) [28]. These were then examined under different scenarios developed, in part, from the feedback from stakeholder workshops.

2.3 Stakeholder perceptions of energy-ecosystem services interactions

This section of the paper briefly outlines a method to improve our understanding of the perspectives of different stakeholders on how change in the energy system will impact their local area. A two tier approach was developed. Firstly each individual was asked to identify the ecosystem services that they think are delivered by specific habitats. The dominant habitats were identified using Broad Habitats [29], as mapped in Land Cover Map 2007 (Figure 1).

Figure 1 about here

The information was collected by asking a series of questions that covered the breadth of ecosystem services with responses that range from strong agreement to strong disagreement. The approach and analysis [30] was then extended in a second questionnaire to identify how people viewed the sensitivity of different services to components of the renewable energy system. This was summarized to represent the opinions of different stakeholders and help clarify the reasons for their support, indifference or ambivalence. The Broad Habitats are a practical categorization of land into different types devised following the Rio Convention for Biological Diversity [31] that can be mapped locally. They provide a comprehensive coverage of all UK land and habitats against which those requiring special protection or management can be viewed and are used by both conservation agencies and Government to assess targets. As the spatial footprint of the energy system changes, it can be expressed in units such as Broad Habitats so that the conflict with conservation policies can be identified.

3. Results

3.1 Exploration of a concept

Our initial definition of an energyscape was “the complex spatial and temporal combination of the supply, demand and infrastructure for energy within a landscape”. A further exploration of the term focused on two components: the form and function of an energyscape (Table 1). Some of the definitions included no consideration of energy demand. There was also a debate on the extent to which “ecosystem services” were best considered as “separate from” or as “part of the energyscape”.

One pertinent comment from a local stakeholder meeting was “why are you inventing a new term: why do you not simply refer to an energy landscape?”

Insert Table 1 about here

Most of the definitions recognize that an energyscape has both a geographic extent and a timeframe that reflect its evolution, development and potential. Although the definitions do not cite a specific spatial scale, there are probably benefits to choosing a scale where the area has a functional identity. For example, for the case study area, a locally-recognized sub-catchment was chosen. Whilst it is not essential to use natural divisions of a landscape, a catchment’s boundaries reflect breaks and shifts in natural processes and the viewshed associated with a catchment often creates a unit that can be identified by people.

Although the spatial scale should represent a functional unit, it is recognized that any studied area will not be a closed system but it will have inputs and outputs of energy and ecosystem services across the boundary (Figure 2). Equally, the boundary may not be a crisp border as shown in Figure 1; some parts may have a recognizable border, for example the M1 defining the south western border, but in other places the definition is fuzzy. This vagueness does not devalue the region to different local stakeholders but merely qualifies their considerations.

No single, pithy final definition was unanimously agreed on; our original definition was not compromised by any of the suggestions which are not mutually exclusive. An energyscape definitely has a spatial and temporal basis and focuses on both internal interactions between the energy system components (demand, supply and delivery) and interactions with other components of real landscapes such as people, structures, topography and ecosystem services.

Figure 2 about here

Energy may be produced, transmitted, stored and/or used by components of the energyscape within the system boundary and only one of these elements is needed for the energy to be viewed as part of the system. For example, we would argue that even if energy simply passes through the energyscape through a high tension electricity network it should be included.

As the definition describes a complex dynamic system, when considering future options, potential features of the energyscape not present at the time of observation should be included; the classification of components and methods of linking (co-registering) data are key to this process. For example, at the time of writing our case study area includes no energy from waste installations, but they are being actively considered. It is only through a systematic approach that consideration of the possible energy options (Table 2), and the key ecosystem services in an area (Table 3) will be encouraged. Early involvement of a wide range of stakeholders is key to the process as their perceptions of what is important and which ecosystem services matter to them provides important guidance for development of scenarios, data gathering and planning of locations for LBR.

Insert Table 2 about here

3.2 Inter-relationships with ecosystem services

Ultimately any energyscape forms part of the wider biosphere, the self-regulating system containing all ecosystems that overlaps the lithosphere, hydrosphere and atmosphere creating a zone that supports life (Figure 3). The addition of solar and cosmic radiation generates the systems of climate, terrain, soil/geology, hydrology and ecology that we exploit to support our life.

Figure 3 about here

Ecosystem services are defined as the products and services that people derive from ecological systems. The Millennium Ecosystem Assessment [32] classified these services into four groups provisioning, regulation, supporting and cultural. In addition to these , shown to the left in Figure 2 de Groot and others also highlight the carrier and habitat services as shown on the right [33] and [34]. Costanza and others have proposed additional characterizations as indicated in the box to the lower right [35]. Such categorizations are useful to ensure that we consider the full range of benefits that we gain from our environment.

The energy infrastructure physically ties energy components to the landscape. Energy sources, energy demand and energy delivery systems potentially interact with most if not all ecosystem services; they may also be explicit services (e.g. provision of energy) or implicitly embedded (e.g. regulation of

greenhouse gases) in specific categories. It is important not only to ensure that the key parts of the energy system are considered, but how they differentially interact with different ecosystem services through their physical location.

3.3 Case study

Within this paper only a brief indication of the outputs from the case study analysis has been presented by way of a demonstration of the potential of this approach. Detailed results and analysis are given by Burgess et al [26], Armitage et al.[28] and Wadsworth et al. [30]. As described earlier, Marston Vale is a lowland predominantly agricultural landscape which currently offers provisioning of human food, animal feed, and fiber. The existing land use was described through field survey and remote sensing and the production through the key provisioning ecosystem services was modeled (Figure 4).

Figure 4 about here

Other ecosystem services that were assessed include the regulation of biochemical processes (e.g. soil carbon), culture (e.g. recreation) and conservation (provision of appropriate and sufficient habitats for farmland birds). The local energy demand was also mapped (Figure 5) and, although simple spatial overlay is not appropriate, this information is extremely useful in identifying the hot spots for service that can be used to improve efficiency by matching to local generation. The information is also valuable for validation and informing stakeholders about their regional energy self-sufficiency and thus can provide an educational service.

Figures 5 about here

The implications of expanding bioenergy provision were considered in a number of ways. One set of scenarios examined the deployment of different products from food or fiber into energy and fuel, leaving the landscape effectively unchanged. A second set of scenarios examined the conversion of land currently used for agricultural production in specific locations within Marston Vale to energy crop production and alternative forms of renewable energy, to meet a number of government-defined targets for meeting energy demand.

3.4 Stakeholder perceptions of energy-ecosystem services interactions

The scenario outputs helped not only to inform and engage local stakeholders but also to elicit new information about strategies and plans that are being developed. Different groups of stakeholders were asked to respond to the questions relating the area's common Broad Habitats (Arable and horticultural, Improved grass. Neutral grass, Broadleaved, mixed and yew woodland, Standing open water, Rivers & stream, Boundaries and linear features and Urban & built up) to ecosystem services and then questioned about their opinion of the sensitivity to different changes in the energy system [30]. They were asked to score which ecosystem services were delivered by which Habitats using the questions in Table 3. The first analysis highlights the relative position of different stakeholders and suggests where issues may cause friction and where there are similar beliefs. They are then asked to score the impact of LBR options against the Broad Habitats suggesting if they consider them to be beneficial or damaging.

Table 4 provides an example of the output for one stakeholder's responses to questions of wind and biomass for Marston Vale. The table shows the sum of the scores representing the stakeholder's perception of threats (-2, -1) or benefits (1, 2) of new LBR development in different habitats and on ecosystem services. The results suggest that the stakeholder has a number of concerns over wind turbines seeing negative impacts with services delivered by a number of habitats. There is special concern about the impact turbines would have on the regulating services provided by Deciduous, mixed and yew woodland; it is only the Urban and built up habitats where he/she sees benefits. In contrast, the options for bioenergy do not raise as many concerns for this individual. Only Boundaries and linear features have a net negative score, the impact being from the cultural services; cultural services appear to be the major cause for concern in biomass planting, with supporting services benefiting and the others showing a balance. The analyses presented back to the stakeholder provided scope for discussion and validation; they helped clarify an individual's position and allowed dialogue to begin to understand concerns and express them to others.

4. Discussion

Bringing together an understanding of the energy system and ecosystem services is a complex task. Ecosystem services are often viewed as spatial processes that can be categorized through their delivery by specific habitats that are geographically fixed. Conversely, the energy system is commonly viewed as aspatial and identified in units ranging from household to national, but ignoring their location or geographic characteristics. The process of describing an energyscape can help, in part, to address this by modeling energy demand, supply and flows through real landscapes, thereby helping to identify links, obstacles and important associations.

In this context the energyscape provides a representative framework containing geographic and spatial characteristics; it does not necessarily have to be a complex simulation model. The individual elements of an energyscape can be land parcels, each of which can have its own energy flow (Figure 6), that can be joined together to describe even larger energyscapes. This description suggests that the approach is bottom up and requires masses of detailed data and intensive analysis, but this need not be the case. Targeted and representative sampling as used by opinion polls and the Countryside Survey and hybrid models of the style used to combine input output statistics with life cycle analysis (e.g. [36]) can improve the efficiency and improve the consistency across scales.

Insert Figure 6 about here

The term “energyscape” was new to stakeholders associated with the project. As already indicated one respondent questioned the need for a new term, when the term “energy landscape” could be created by combining existing terms. However the philosophy of the approach was seen as a useful means through which changes in energy demand, sourcing and supply could be discussed in broad terms for a specific area. The stakeholders were able to engage with issues, typically only considered at a national or international level, in the context of a landscape that they understood. Different groups of stakeholders saw benefits of the approach, for example local planners valued the development of “independent” integrative tools, whilst local action groups agreed that it should ensure that their goals were recognized whilst illuminating other issues that they had not considered. The use of questions drawing information and opinions about the whole landscape and energy options proved insightful in more ways than we had initially intended. One clear strength of the questionnaire

is that it brings all types of habitat and ecosystem service to the stakeholders' attention. The example of the stakeholder whose results are presented in Table 4 suggests that on balance he/she is more likely to support biomass (a positive aggregate score) in Marston Vale rather than wind (aggregate negative). However, the information presented back to the stakeholder gives them an opportunity to question their own values and judgments and discuss them with others. In particular, it identifies which parts of landscapes are more valued (e.g. woodlands) and which less (e.g. built up). The results are indicative not definitive and as the methodology is relatively simple (see [30]) it allows stakeholders to both recognize and adjust their position and enter dialogue with others about the specific areas they have concerns over.

Until the energyscapes term is more commonly used, the feeling was that a longer description may help gain its acceptance and use of additional phrases such as 'the local energy landscape' might be beneficial. It is informative to note that the term ecosystem services is still not widely used at a local level, despite being well known in academia and national policy circles.

5. Conclusion

Energyscapes is a valuable term to engage people in discussion about how the energy system interacts with their local environment and the other ecosystem services that it provides. It sets the specific components of the energy system in context of local energy demands and with other parts of the energy system, and offers a mechanism for making decisions that are more transparent and equitable; we hope that it can make a useful contribution to a wider public debate on our energy futures. In the same way that 'carbon footprint' or 'food miles' have become well-known terms that are widely (if loosely) used in and by the public, we hope that one day people will have a popular term to refer to the main local characteristics of energy demand, transport and supply. We propose that people discussing local wind farms or local authority development plans may start with the phrase 'our energyscape is...'.

6. Acknowledgements

The research described was funded by a Natural Environment Research Council (NERC) grant (reference NE/H010432/1) awarded after a sandpit event in June 2009. The group wishes to express their thanks to those who have commented and made positive suggestions about the work and all the stakeholders, colleagues and students who have assisted in the process.

7. References

- [1] Mann ME, Bradley RS, Hughes MK. Northern hemisphere temperatures during the past millennium: Inferences, uncertainties, and limitations. *Geophys Res Lett* 1999;26(6):759-62.
- [2] Mann ME. Defining dangerous anthropogenic interference. *Proc Natl Acad Sci U S A* 2009;106 (11):4065-66.
- [3] Ehrlich PR, Ehrlich A. *Extinction: The Causes and Consequences of the Disappearance of Species*. New York: Random House; 1981.
- [4] Ehrlich PR, Mooney HA. Extinction, substitution, and ecosystem services. *BioScience* 1983;33 (4):248-54.
- [5] Costanza R, d'Arge R, deGroot R, Farber S, Grasso M, Hannon B, et al. The value of the world's ecosystem services and natural capital. *Nature* 1997;387 (6630):253-60.
- [6] de Groot RS, Alkemade R, Braat L, Hein L, Willemen L. Challenges in integrating the concept of ecosystem services and values in landscape planning, management and decision making. *Ecological Complexity* 2010;7 (3):260-72.
- [7] Energy White Paper: Our energy future - creating a low carbon economy. UK Department of Transport and Department for the Environment, Food and Rural Affairs. London: HMSO; 2003, p. 139.
- [8] Omer AM. Energy use and environmental impacts: A general review. *Journal of Renewable and Sustainable Energy [Internet]* 2009;1(5) [cited 2012 Mar 30] Available from: <http://jrse.aip.org/> DOI: 10.1063/1.3220701

385 [9] Pepermans G, Driesenb J, Haeseldonckxc D, Belmansc R, D'haeseleer W. Distributed
386 generation: definition, benefits and issues. *Energy Policy* 2005;33 (6):787-98.

387 [10] Coleby AM, van der Horst D, Hubacek K, Goodier C, Burgess PJ, Graves A, et al.
388 Environmental Impact Assessment and Ecosystems Services: the case of energy crops in
389 England *Journal of Environmental Planning and Assessment* 2012; 55 (3):369-85.

390 [11] Carbon Trust. Small-scale wind energy - Policy insights and practical guidance. London, UK:
391 Carbon Trust; 2008.

392 [12] Abou El-Ela AA, Allam SM, Shatla MM. Maximal optimal benefits of distributed generation
393 using genetic algorithms. *Electric Power Systems Research* 2010;80 (7):869-77.

394 [13] Ren HB, Gao WJ. A MILP model for integrated plan and evaluation of distributed energy
395 systems. *Applied Energy* 2010;87 (3):1001-14.

396 [14] Alarcon-Rodriguez A, Ault G, Galloway S. Multi-objective planning of distributed energy
397 resources: A review of the state-of-the-art. *Renewable & Sustainable Energy Reviews*
398 2010;14 (5):1353-66.

399 [15] Alanne K, Saari A. Distributed energy generation and sustainable development. *Renewable*
400 *and Sustainable Energy Reviews* 2006;10 (6):539-58.

401 [16] Haughton AJ, Bond AJ, Lovett AA, Dockerty T, Sunnenberg G, Clark SJ, et al. A novel,
402 integrated approach to assessing social, economic and environmental implications of changing
403 rural land-use: a case study of perennial biomass crops. *J Appl Ecol* 2009;46 (2):315-22.

404 [17] Dicorato M, Fortea G, Trovato M. Environmental-constrained energy planning using energy-
405 efficiency and distributed-generation facilities. *Renewable Energy* 2008;33 (6):1297-1313.

406 [18] Hillier J, Whittaker C, Dailey G, Aylott M, Casella E, Richter GM, et al. Greenhouse gas
407 emissions from four bioenergy crops in England and Wales: Integrating spatial estimates of
408 yield and soil carbon balance in life cycle analyses. *Glob Change Biol Bioenergy*
409 2009;1(4):267-81.

- 410 [19] Firbank LG, Barr CJ, Bunce RGH, Furse MT, Haines-Young R, Hornung M, et al. Assessing
411 stock and change in land cover and biodiversity in GB: an introduction to Countryside Survey
412 2000. *J Environ Manage* 2003;67 (3):207-18.
- 413 [20] Fishbone LG, Hill D, Sailor VL. MARKAL, a multiperiod linear-programming model for
414 energy-systems analysis applied to the United-States. *Bulletin of the American Physical*
415 *Society* 1980;25 (4):494-95.
- 416 [21] Strachan N, Balta-Ozkan N, Joffe D, McGeevor K, Hughes N. Soft-linking energy systems
417 and GIS models to investigate spatial hydrogen infrastructure development in a low-carbon
418 UK energy system. *Int J Hydrogen Energy* 2009;34 (2):642-57.
- 419 [22] Howard D, Jay B, Whitaker J, Talbot J, Hughes N, Winskel M. Not just climate change: other
420 social and environmental perspectives. In: Skea J, Ekins P, Winskel M, editors. *Energy 2050:*
421 *Making the transition to a secure low carbon energy system for the UK.* London: Earthscan;
422 2010, p. 294-323.
- 423 [23] Heathwaite L. *Sustainable Use of Natural Resources Theme Action Plan* Swindon: Natural
424 Environment Research Council; 2008, p. 11.
- 425 [24] de Vos R. *EnergyScape*. National Institute of Water & Atmospheric Research, ; 2007.
- 426 [25] Angus A, Burgess PJ, Morris J, Lingard J. Agriculture and land use: Demand for and supply
427 of agricultural commodities, characteristics of the farming and food industries, and
428 implications for land use in the UK. *Land Use Policy* 2009;26 :S230-42.
- 429 [26] Burgess PJ, Casado MR, Gavú J, Mead A, Cockerill T, Lord R, et al. A framework for
430 reviewing the trade-offs between, renewable energy, food, feed and wood production at a
431 local level. *Renewable & Sustainable Energy Reviews* 2012;16 (1):129-42.
- 432 [27] ESRI. www.esri.com. Redlands, California.

- 433 [28] Armitage E, Badmos B, Barber C, Boye A, Brown P, Corney Riera A, et al. EnergyScapes
434 and Ecosystem Services of the Marston vale. MSc Land Management and Geographical
435 Information Management Group project. Cranfield: Cranfield University; 2010, p. 285.
- 436 [29] Biodiversity: the UK Action Plan. Department of the Environment London: HMSO; 1994,
- 437 [30] Wadsworth R, Wadsworth W, Hubacek K, Butler SJ, Burgess P, Gan G, et al. Ecosystem
438 Services to assess Land Management Options: A method to capture diversity and consistency
439 of stakeholder views? J Environ Manage Forthcoming 2012.
- 440 [31] Jackson DL. Guidance on the interpretation of the Biodiversity Broad Habitat Classification
441 (terrestrial and freshwater types): Definitions and the relationships with other Habitat
442 classifications. Peterborough: Joint Nature Conservation Committee; 2000.
- 443 [32] Millennium Ecosystem Assessment. Ecosystems and Human Well – Being: Synthesis.
444 Washington, DC: Island Press; 2005.
- 445 [33] de Groot R. Function-analysis and valuation as a tool to assess land use conflicts in planning
446 for sustainable, multi-functional landscapes. Landsc Urban Plan 2006;75 (3-4):175-86.
- 447 [34] de Groot RS, Wilson MA, Boumans RMJ. A typology for the classification, description and
448 valuation of ecosystem functions, goods and services. Ecol Econ 2002;41 (3):393-408.
- 449 [35] Costanza R. Ecosystem services: Multiple classification systems are needed. Biol Conserv
450 2008;141(2):350-2.
- 451 [36] Berners-Lee M, Howard DC, Moss J, Kaivanto K, Scott WA. Greenhouse gas footprinting for
452 small businesses — The use of input–output data. Sci Total Environ 2011; 409 (5) 883-91.
- 453

Table 1 Options for the definition of an energyscape

Table 2A hierarchical list of components of the energy system used to check options for a location. It can be expanded in both directions adding further components (rows) or breaking the existing components into more detail (columns).

Table 3 Table of questions given to stakeholders to ask how they value different ecosystem services. All questions are asked for every habitat present, with the term *habitat* in the question being replaced by specific names (e.g. *Improved grassland*). Only the Broad Habitats commonly found in Marston Vale were used in this instance

Table 4 Summary responses from an individual stakeholder who was asked to score the impact of two new energy sources (wind and biomass) on the provision of the individual ecosystem services listed in Table 3 (+2, +1, 0, -1, or -2) within seven habitats commonly found in the study area. The responses are summed and grouped by ecosystem service category.

467 **Figure 1** Broad Habitats in Marston Vale from the satellite derived Land Cover Map 2007.

468 Categories Arable & horticultural (Au, Ba), Coniferous and Deciduous woodland (C, D,

469 Fd), Agricultural and amenity grasslands (Gi) semi-natural grasslands, heaths and scrub

470 (Gr, H, Hga, M, Sc), Urban and industrial (U, Ud, Ui, Us) Rivers, lakes and ponds (Wl)

471 **Figure 2** A diagrammatic representation of the spatial domain of an energyscape as an open system

472 with flows to other (energy) systems. The broken line indicates the energyscape boundary

473 **Figure 3** Categories of ecosystem services drawn from [32], [33], [34] and [35]

474 **Figure 4** Modeled land use in the Marston Vale in 2009 (from [26])

475 **Figure 5** Modeled estimates of the intensity of demand for energy in the Marston Vale

476 **Figure 6** Energy flow through elements of an energyscape

an energyscape is
a spatial and temporal representation of a landscape
a spatial domain defined from an energy perspective
a framework
a functional unit
a description of the relationships between spatial patterns and man's energy system
a whole system model

that
describes the interactions between energy system components and other ecosystem services
visualizes the capture, conversion, transmission, use and disposal of energy relevant to human activities
emphasizes the capture, conversion, transmission, use and disposal of energy for human use
represents man's energy system and can be interrogated and manipulated to support the delivery of sustainable development
tells you how much land could/should be devoted to energy and at what cost
integrates all the processes related to man's use of energy

Table

Energy Sources	Fossil fuels	Coal Oil Gas Peat
	Nuclear	Fission Fusion
	Renewables	Wind Bioenergy Solar photovoltaic Solar thermal Hydro Heat pumps Wave & tidal Geothermal Landfill gas Waste
Energy Transport & Storage	Electricity	Cable Battery
	Gas	Pipeline Tanks
	Liquid fuel	Pipeline Road & rail transport Tanks
	Solid fuel	Road & rail transport Storage bunkers
	Heat	Pipe Water storage
Energy Demand Management	Heat	Household insulation
	Power	Efficient equipment Standby systems
	Motion	Car sharing Speed restriction
	Light	LED Natural light

Cultural services	Does the <i>habitat</i> make you think ...
Aesthetic	... it is beautiful?
Heritage	... about the past?
Jobs	... of opportunities for employment?
Recreation	... you want to spend more time here?
Scientific & educational	... there is a chance to learn or observe something interesting?
Spiritual	... about the future?
Habitat services	Is the <i>habitat</i> where you would expect to see....
Flora	... wild plants
Fauna	... wild animals
Provisioning services	What do you get from the <i>habitat</i>...
Fiber	... fiber such as wood, flax or wool?
Food	... food for people or livestock?
Freshwater	... freshwater e.g. springs?
Fuel	... fuel e.g. firewood or biodiesel?
Genetic	... a genetic resource for the future?
Medicinal/ornamental	... Medicinal or ornamental plants?
Regulating services	Does the <i>habitat</i> help ...
Air quality	... improve the air we breathe e.g. dust, smells, ammonium?
Assimilation of carbon	... lock up carbon from the atmosphere in the soil or plants?
Buffer - chemicals	... e.g. reduce pollution from acid rain, nutrients or pesticides?
Buffer - physical	... e.g. reduce erosion or flooding?
Buffer - economic	... e.g. "safe" jobs in times of recession?
Climate	... moderate the local (or global) climate?
Disease, pests & natural hazards	... reduce the impact of pest and diseases, e.g., aphids, Lymes disease, etc.?
Erosion	... prevent erosion?
Fire	... prevent wildfires?
Pollination	... provide nectar resources for bees and other pollinators.
Water flow	... moderate water flows (quantity) e.g. floods and droughts?
Water quality	... improve water quality?
Supporting services	Does the <i>habitat</i> help support other services by ...
Nutrient cycling	... reducing nitrogen and phosphorus losses?
Primary productivity	... growing vegetation?
Soil formation	... encouraging soil formation?
Hydrological cycling	... circulating water around the environment?

Table

Energy Source	Ecosystem Service Group	Broad Habitat						
		Arable & horticultural	Boundary & linear features	Broadleaved, mixed & yew woodland	Improved grassland	Rivers & streams	Standing open water & canals	Urban & built-up
Wind	Cultural	0	-4	-3	0	0	0	1
	Provisioning	0	0	-4	0	0	0	0
	Regulating	-1	0	-13	0	0	0	2
	Supporting	0	0	0	0	0	0	0
	Total	-1	-4	-20	0	0	0	3
Biomass	Cultural	-1	-6	-2	0	0	0	4
	Provisioning	-1	0	3	-1	0	0	0
	Regulating	1	0	0	-2	0	0	0
	Supporting	3	0	0	4	0	0	0
	Total	2	-6	1	1	0	0	4

Figure

[Click here to download high resolution image](#)

Figure

[Click here to download high resolution image](#)

Figure

[Click here to download high resolution image](#)

Figure

[Click here to download high resolution image](#)

Figure

[Click here to download high resolution image](#)

Recursive representation