

References

- Akcakaya, H.R. (1994). 'GIS enhances endangered species conservation efforts.' *GIS World*, 7, 36-40.
- Andrews, J.D., and Moss, T.J. (2002). *Reliability and Risk Assessment*, Professional Engineering Publishing Ltd. London and Bury St. Edmunds, UK.
- AWWARF. (1989). 'Economics of Internal Corrosion Control.'
- AWWARF/DVGW. (1986). 'Internal Corrosion of Water Distribution Systems.'
- AWWSC. (2002). 'Deteriorating buried infrastructure management challenges and strategies.' White Paper prepared for US Environmental Protection Agency workshop on Distribution System Issues, March 7-8, Voorhees, NJ.
- Ballantyne, D., and Moore, D. (1995). 'Relative earthquake vulnerability of water pipes.' Annual Conference Engineering and Operation, Anaheim, California.
- Bardossy, A., and Duckstein, L. (1992). 'Analysis of a karstic aquifer management problem by fuzzy composite programming.' *Water Resources Bulletin*, 28(1), 63-73.
- Bardossy, A., Bogardi, I., and Duckstein, L. (1985). 'Composite programming as an extension of compromise programming.' Mathematics of multiple objective optimization, P. Serfini, ed., Springer Verlag, Vienna, Austria, 375-408.
- Bear, J. (1972). *Dynamics of fluids in porous media*, American Elsevier Publishing Company, Inc., New York.
- Besner, M.C., Gauthier, V., Barbeau, B., Millette, R., Chapleau, R., and Prevost, M. (2001). 'Understanding distribution system water quality.' *Journal American Water Works Association*, 93(7), 101-+.
- Biggar, J.W., and Nielsen, D.R. (1976). 'Spatial variability of the leaching characteristics of a field soil.' *Water Resources Research*, 12(1), 78-84.
- Bonds, W.R. (1989). 'Cement-Mortar Linings for Ductile Iron Pipe.' Ductile Iron Pipe Research Association, 245 Riverchase Parkway East, Suite O Birmingham, Alabama 35244-1856.
- Brakensiek, D.L., and Onstad, C.A. (1977). 'Parameter estimation of the Green and Ampt infiltration equation.' *Water Resources Research*, 13, 1009-1012.
- Chen, S.H. (1985). 'Ranking fuzzy numbers with maximizing set and minimizing set.' *Fuzzy sets and systems*, 17, 113-129.
- Choe, K., and Varley, R. (1997). 'Conservation and Pricing-Does Raising Tariffs to an Economic Price for Water Make the People Worse Off?' Prepared for the 'Best Management Practice for Water Conservation' Workshop, South Africa.
- Cooper, N.R., Blakey, G., Sherwin, C., Ta, T., Whiter, J.T., and Woodward, C.A. (2000). 'The use of GIS to develop a probability-based trunk mains burst risk model.' *Urban Water*, 2(2), 97-103.
- Craun, G.F., and Calderon, R.L. (2001). 'Waterborne disease outbreaks caused by distribution system deficiencies.' *Journal American Water Works Association*, 93(9), 64-75.
- Cunat, P.J. (2001). 'Corrosion Resistance of Stainless Steels in Soils and in Concrete.' Paper presented at the Plenary Days of the Committee on the Study of Pipe Corrosion and Protection, October 2001, Ceacor, Biarritz.

- Danon-Schaffer, M.N. (2001). 'Walkerton's contaminated water supply system: a forensic approach to identify the source.' *Environmental Forensics*, 2, 197-200.
- Davies, J.P., Clarke, B.A., Whiter, J.T., and Cunningham, R.J. (2001a). 'Factors influencing the structural deterioration and collapse of rigid sewer pipes.' *Urban Water*, 3(1-2), 73-89.
- Davies, J. P., Clarke, B. A., Whiter, J. T., Cunningham, R. J., and Leidi, A. (2001b). 'The structural condition of rigid sewer pipes: a statistical investigation.' *Urban Water*, 3(4), 277-286.
- Dubois, D., and Prade, H. (1988). *Possibility theory – An approach to computerized processing of uncertainty*, Harding, E.F., translator, Plenum Press, New York.
- Eiswirth, M., and Hotzl, H. (1994). 'Groundwater conamination by leaky sewerage systems.' 25th International Conference IAH 'Water Down Under', 21-25 November 1994, Adelaide, Australia.
- Enfield, C.G., Carsel, R.F., Cohen, S.E., Phan, T., and Walters, D.M. (1982). 'Approximating pollutant transport to ground water.' *Ground Water*, 20(6), 711-722.
- Fedra, K. (1998). 'Integrated risk assessment and management: overview and state of the art.' *Journal of Hazardous Materials*, 61, 5-22.
- Fipps, G., and Pope, C. (2004). 'Irrigation District Efficiencies and Potential Water Savings in the Lower Rio Grande Valley of Texas.' Department of Agricultural Engineering, Texas A&M University, Texas.
- Galbraith, N.S., Barrett, N.J., and Stanwellsmith, R. (1987). 'Water and disease after Croydon - a review of water-borne and water-associated disease in the UK 1937-86.' *Journal of the Institution of Water and Environmental Management*, 1(1), 7-21.
- Galbraith, N.S., Barrett, N., and Stanwell-Smith, R. (1992). 'A review of water-borne and waste-associated disease in the UK 1937-86.' *Journal of the New England Water Works Association*, 106(3), 169-185.
- Geldreich, E.E. (1996). *Microbial quality of water supply in distribution systems*, Boca Raton, FL: Lewis Publisher.
- Geter, W.F., Smith, P., Drungil, C., Shepherd, R. and Kuenstler, B. (1995). 'Hydrologic Unit Water Quality Model GIS Interface to Four ARS Water Quality Models for Use by Soil Conservation Service.' The International Symposium on Water Quality Modeling, Sponsored by ASAE – The Society for Engineering in Agricultural, Food, and Biological Systems, Orlando, Florida, 341-347.
- Green, W.H., and Ampt, G.A. (1911). 'Studies in soil physics. I. The flow of air and water through soils.' *Journal of Agriculture Science*, 4, 1-24.
- Guillermo, Y., Ringskog, K., and Shyamal, S. (2001). 'The High Cost of Intermittent Water Supplies.' Water and Sanitation Program, WSP Publications.
- Hagemeister, M.E., Jones, D.D., and Woldt, W.E. (1996). 'Hazard ranking of landfills using fuzzy composite programming.' *Journal of Environmental Engineering*, ASCE, 122(4), 248-258.
- Hardoy, J.E., Mitlin, D., and Satterthwaite, D. (2001). *Environmental Problems in an Urbanizing World*, Earthscan Publications Ltd, London.
- Harr, M.E. (1962). *Groundwater and seepage*, McGraw-Hill Book Company, Inc., New York.

- Harter, T., Wagner, S., and Atwill, E.R. (2000). 'Colloid transport and filtration of cryptosporidium parvum in sandy soils and aquifer sediments.' *Environmental Science & Technology*, 34(1), 62-70.
- Harvey, R.W., and Garabedian, S.P. (1991). 'Use of colloid filtration theory in modeling movement of bacteria through a contaminated sandy aquifer.' *Environmental Science & Technology*, 25(1), 178-185.
- Haverkamp, R., Parlange, J.Y., Starr, J.L., Schmitz, and Fuentes, C. (1990). 'Infiltration under ponded condition: 3. A predictive equation based on physical parameters.' *Soil Science*, 149, 292-300.
- Haverkamp, R., Ross, P.J., and Parlange, J.Y. (1994). 'Three dimensional analysis of infiltration from the disc infiltrometer, 2. Physically based infiltration equation.' *Water Resources Research*, 30, 2931-2935.
- Hillel, D. (1982). *Introduction to soil physics*, Academic Press, New York.
- Hornung, M., Bull, K.R., Cresser, M., Ulliyett, J., Hall, J.R., Langan, S., Loveland, P.J., and Wilson, M.J. (1994). 'The sensitivity of surface waters of Great Britain to acidification predicted from catchment characteristics.' *Environmental Pollution*, 87, 207-214.
- How, C.F.H. (1998). 'Fugitive Emissions of VOCs from Industrial Sewer Networks: Integration of naUTilus and ArcView,' Master's Thesis, Univ. Texas, Austin.
- Jones, D., and Barnes, E.M. (2000). 'Fuzzy composite programming to combine remote sensing and crop models for decision support in precision crop management.' *Agricultural Systems*, 65, 137-158.
- Kaufmann, A., and Gupta, M.M. (1991). *Introduction to fuzzy arithmetic: Theory and applications*, Van Nostrand Reinhold, New York.
- Kiene, L., Lu, W., and Levi, Y. (1998). 'Relative importance of the phenomena responsible for chlorine decay in drinking water distribution systems.' *Water Science and Technology*, 38(6), 219-227.
- King, R.C. and Crocker, S.B. (1967). *Piping Handbook*. McGraw-Hill Book Company, London.
- Kirmeyer, G.J., Friedman, M., Martel, K., Howie, D., LeChevallier, M., Abbzszadegan, M., Karim, M., Funk, J., and Harbour, J. (2001). 'Pathogen intrusion into the distribution system.' AWWA Research Foundation and the American Water Works Association, Denver, CO.
- Kleiner, Y., and Rajani, B. (2001). 'Comprehensive review of structural deterioration of water mains: statistical models.' *Urban Water*, 3(3), 131-150.
- Kramer, M.H., Herwaldt, B.L., Craun, G.F., Calderon, R.L., and Juranek, D.D. (1996). 'Waterborne disease: 1993 and 1994.' *Journal American Water Works Association*, 88(3), 66-80.
- Kumar, L., Skidmore, A.K., and Knowles, E. (1997). 'Modeling topographic variation in solar radiation in a GIS environment.' *International Journal of Geographic Information Science*, 11, 475-497.
- LeChevallier, M.W. (1999). 'The case for maintaining a disinfectant residual.' *Journal American Water Works Association*, 91(1), 86-94.
- Lee, Y.W., Bogardi, I., and Stansbury, J. (1991). 'Fuzzy decision making in dredged-material management.' *Journal of Environmental Engineering*, ASCE, 117(5), 614-629.

- Lee, Y.W., Dahab, M.F., and Bogardi, I. (1992). 'Nitrate risk management under uncertainty.' *Journal of Water Resources Planning and Management*, ASCE, 118(2), 151-165.
- Lerner, D.N. (1994). *The impact of sewers on groundwater quality*, Thomas Telford, London.
- Lindley, T.R., and Buchberger, S.G. (2002). 'Assessing intrusion susceptibility in distribution systems.' *Journal American Water Works Association*, 94(6), 66.
- Lippy, E.C., and Waltrip, S.C. (1984). 'Waterborne Disease Outbreaks 1946-1980 - a 35-Year Perspective.' *Journal American Water Works Association*, 76(2), 60-67.
- Loganathan, G.V., Park, S., and Sherali, H.D. (2002). 'Threshold break rate for pipeline replacement in water distribution systems.' *Journal of Water Resources Planning and Management*, ASCE, 128(4), 271-279.
- Maidment, D.R. (1992). 'A Grid-Network Procedure for Hydrologic Modelling.', Report prepared for the Hydrologic Engineering Center, US Army Corps of Engineers, Davis, California.
- McIntosh, A.C. (2003). 'Asian Water Supplies, Reaching the Urban Poor.', Asian Development Bank, Manila.
- McIntosh, A., and Yniguez, C. (1997). *Second Water Utilities Data Book - Asia and Pacific Region*. Asian Development Bank.
- McNeill, L.S., and Edwards, M. (2001). 'Iron pipe corrosion in distribution systems.' *Journal American Water Works Association*, 93(7), 88-100.
- Meyer, P.D., Rockhold, M.L., and Gee, G.W. (1997). 'Uncertainty Analyses of Infiltration and Subsurface Flow and Transport for SDMP Sites.', Division of Regulatory Applications, Office of Nuclear Regulatory Research, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, NRC Job Code W6503.
- Mitchell, G.N., and McDonald, A.T. (1995). 'Catchment characterisation as a tool for upland water quality management.' *Journal of Environmental Management*, 43, 83-95.
- Mizgalewicz, P. (1996). 'Agrichemical Transport in the Midwest Rivers: A GIS Approach.' Ph.D. Dissertation, University of Texas, Austin.
- Moffa, P.E. (Ed.) (1990). *Control and Treatment of Combined Sewer Overflows*. Van Nostrand Reinhold, New York, NY.
- Newell, C.J., Rifai, H.S. and Bedient, P.B. (1992). 'Characterization of Non-Point Sources and Loadings to Galveston Bay.' Publication GBNEP-15, Galveston Bay National Estuary Program, Webster, Texas.
- Nofziger, D.L. (1979). 'The influence of canal seepage on groundwater in Lugert Lake irrigation area.' Oklahoma Water Resources Research Institute, OSU.
- O'Loughlin, E.M., and Bowmer, K.H. (1975). 'Dilution and decay of aquatic herbicides in flowing changes.' *Journal of Hydrology*, 26.
- Parlange, J.Y., Haverkamp, R., and Touma, J. (1985). 'Infiltration under ponded conditions. 1. Optimal analytical solution and comparison with experimental observations.' *Soil Science*, 139, 305-311.
- Payment, P., Richardson, L., Siemiatycki, J., Dewar, R., Edwardes, M., and Franco, E. (1991). 'Randomized trial to evaluate the risk of gastrointestinal disease due to consumption of drinking water meeting microbiological standards.' *American Journal of Public Health*, 81(6), 703-708.

- Payment, P., Siemiatycki, J., Richardson, L., Renaud, G., Franco, E., and Prevost, M. (1997). 'A prospective epidemiological study of gastrointestinal health effects due to the consumption of drinking water.' *International Journal of Environmental Health Research*, 7, 5-31.
- Prodanovic, P., and Simonovic, S.P. (2002). 'Comparison of fuzzy set ranking methods for implementation in water resources decision-making.' *Canadian Journal of Civil Engineering*, 29, 692-701.
- Roberge, P.R. (2000). *Handbook of Corrosion Engineering*. McGraw-Hill; ISBN 007-076516-2; 1140 pages
- Rossmann, L.A. (1994). 'EPANET users manual.' Risk Reduction Engineering Laboratory, US EPA, Cincinnati, Ohio.
- Runkel, R.L. (1996). 'Solution of the advection-dispersion equation: Continuous load of finite duration.' *Journal of Environmental Engineering-Asce*, 122(9), 830-832.
- Saaty, T.L. (1977). 'A scaling method for priorities in hierarchical structures.' *Journal of Mathematical Psychology*, 15, 57-68.
- Saaty, T.L. (1980). *The analytic hierarchy process*, McGraw-Hill International, New York.
- Saaty, T.L. (1994). *Fundamentals of decision making and priority theory with the AHP*, RWS Publications, Pittsburgh, PA.
- Sægvog, S., Baptista, J.F.M., Conroy, P., Herz, R.K., LeGauffre, P., Moss, G., Oddevald, J.E., Rajani, B., and Schiatti, M. (1999). 'Rehabilitation of water networks - Survey of research needs and on-going efforts.' *Urban Water*, 1(1), 15-22.
- Salvucci, G.D., and Entekhabi, D. (1994). 'Explicit expressions for Green-Ampt (Delta function diffusivity) infiltration rate and cumulative storage.' *Water Resources Research*, 30, 2661-2663.
- Saunders, K., W., and Maidment, D.R. (1996). 'A GIS Assessment of Nonpoint Source Pollution in the San Antonio-Nueces Coastal Basin.', CRWR Online Report 96-1, University of Texas, Austin.
- Shamir, U., and Howard, C. D. D. (1979). 'An analytic approach to scheduling pipe replacement.' *Journal American Water Works Association*, 71(5), 248-258.
- Smith, L.A., Fields, K.A., Chen, A.S.C., and Trafuri, A.N. (2000). *Options for leak and break detection and repair of drinking water systems*, Battelle Press, Columbus, Ohio.
- Steele, A., G.P. Wealthall, G. Harrold, N. Tait, Leharne, S.A., and Lerner, D.N. (1999). 'Groundwater contamination by chlorinated solvent DNAPLs in the UK.' *Ground Engineering*, 32(5), 20-21.
- Stephenson, D. (1979). 'Pipeline Design for Water Engineers'. *Development in Water Science*, 6, Elsevier Scientific Publishing Company, Oxford.
- Summers, P. (2001). 'Finding your way.' *Journal American Water Works Association*, 93(11), 58-61.
- Texas Board of Water Engineers. (1946). 'Seepage Losses from Canals.' Austin, Texas.

- Thill, J.C. e. (1999). *Spatial multicriteria decision making and analysis: a geographic information science approach*, Ashgate Publishing Company, Brookfield, Vermont.
- Tim, U.S., and Jolly, R. (1994). 'Evaluating Agricultural Nonpoint-Source Pollution Using Integrated Geographic Information Systems and Hydrologic/Water Quality Model.' *Journal of Environmental Quality*, 23, 25-35.
- United Nations (2005) 'The millennium development goals report 2005', United Nations, New York.
- US Bureau of Reclamation (USBR). (1963). 'Linings for Irrigation Canals.' Bureau of Reclamation Report, Washington DC.
- USEPA. (1994). 'PESTAN - Pesticide analytical model, version 4.0.' Centre for Subsurface Modeling Support, US Environmental Protection Agency, Ada, Oklahoma.
- USEPA. (1998a). 'Estimation of infiltration rate in the vadose zone: Application of selected mathematical models Volume 2.' EPA/600/R-97/128b. Subsurface Protection and Remediation Division, National Risk Management Research Laboratory, United States Environmental Protection Agency, Washington, DC.
- USEPA. (1998b). 'Estimation of infiltration rate in the vadose zone: Compilation of simple mathematical models Volume 1.' EPA/600/R-97/128a. Subsurface Protection and Remediation Division, National Risk Management Research Laboratory, United States Environmental Protection Agency, Washington, DC.
- USEPA. (2002). 'Potential contamination due to cross-connections and backflow and the associated health risks.' White Paper prepared for US Environmental Protection Agency Workshop on Distribution System Issues, March 7-8, EPA's Office of Groundwater and Drinking Water, Washington.
- Vairavamorthy, K. (1994). 'Water Distribution Networks: Design and Control for Intermittent Supply.' Thesis Presented to the Imperial college of Science, Technology and Medicine, London UK in partial fulfilment of the requirement for the degree of Doctor of Philosophy.
- van Genuchten, M.T. (1980). 'A closed-form equation for predicting the hydraulic conductivity of unsaturated soil.' *Soil Science Society of America Journal*, 44, 892-898.
- Wallingford Software (2004). 'Inforworks WS software version 5.52'. Wallingford Software Ltd, UK.
- Woldt, W., and Bogardi, I. (1992). 'Groundwater monitoring network design using multiple criteria decision making and geostatistics.' *Water Resources Bulletin*, 28(1), 45-61.
- Wyatt, C.J., Fimbres, C., Romo, L., Mendez, R.O., and Grijalva, M. (1998). 'Incidence of heavy metal contamination in water supplies in North Mexico.' *Environmental Research Section A*, 76, 114-119.
- Yan, J.M., and Vairavamorthy, K. (2003a). 'Fuzzy approach for pipe condition assessment.' Proc. ASCE International Conference on Pipeline Engineering and Construction, July 13-16, 2003, Baltimore, Maryland.
- Yan, J.M., and Vairavamorthy, K. (2003b). 'Prioritising water mains rehabilitation under uncertainty.' Proc. International Conference on Computing and Control for the Water Industry (CCWI), 15-18 September 2003, Imperial College, London.

- Yates, P., and Bishop, I. (1997). 'A method for the integration of existing GIS and Modelling system.' Proc. Geo computing 97 & SIRC 97, 26-29 Aug., 1997, Univ. of Otago, New Zealand, 191-197.
- Zadeh, L.A. (1965). 'Fuzzy sets.' *Information and Control*, 8(3), 338-353.
- Zeleny, M. (1973). 'Compromise programming.' *Multiple criteria decision making*, Cochrane J.L. and Zeleny, M., eds., University of South Carolina Press, Columbia, South Carolina, 263-301.

