

This item was submitted to [Loughborough's Research Repository](#) by the author.
Items in Figshare are protected by copyright, with all rights reserved, unless otherwise indicated.

Hospital survey on patient safety culture (HSPSC): a systematic review of the psychometric properties of 62 international studies

PLEASE CITE THE PUBLISHED VERSION

<https://doi.org/10.1136/bmjopen-2018-026896>

PUBLISHER

BMJ

VERSION

VoR (Version of Record)

PUBLISHER STATEMENT

This is an Open Access Article. It is published by BMJ under the Creative Commons Attribution-NonCommercial 4.0 International Licence (CC BY-NC 4.0). Full details of this licence are available at: <https://creativecommons.org/licenses/by-nc/4.0/>

LICENCE

CC BY-NC 4.0

REPOSITORY RECORD

Waterson, Patrick, Evi Burford, Tanja Manser, and Antje Hammer. 2019. "Hospital Survey on Patient Safety Culture (HSPSC): A Systematic Review of the Psychometric Properties of 62 International Studies". Loughborough University. <https://hdl.handle.net/2134/13347413.v1>.

BMJ Open Hospital Survey on Patient Safety Culture (HSPSC): a systematic review of the psychometric properties of 62 international studies

Patrick Waterson,¹ Eva-Maria Carman,² Tanja Manser,³ Antje Hammer⁴

To cite: Waterson P, Carman E-M, Manser T, *et al.* Hospital Survey on Patient Safety Culture (HSPSC): a systematic review of the psychometric properties of 62 international studies. *BMJ Open* 2019;9:e026896. doi:10.1136/bmjopen-2018-026896

► Prepublication history and additional material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2018-026896>).

Received 25 September 2018

Revised 10 May 2019

Accepted 22 July 2019



© Author(s) (or their employer(s)) 2019. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Human Factors and Complex Systems Group, Design School, Loughborough University, Loughborough, UK

²Trent Simulation and Clinical Skills Centre, Nottingham University Hospitals NHS Trust, Nottingham, UK

³University of Applied Sciences and Arts Northwestern, Olten, Switzerland

⁴Institute for Patient Safety, University Hospital Bonn, Bonn, Germany

Correspondence to

Dr Patrick Waterson;
P.Waterson@lboro.ac.uk

ABSTRACT

Objective To carry out a systematic review of the psychometric properties of international studies that have used the Hospital Survey on Patient Safety Culture (HSPSC).

Design Literature review and an analysis framework to review studies.

Setting Hospitals and other healthcare settings in North and South America, Europe, the Near East, the Middle East and the Far East.

Data sources A total of 62 studies and 67 datasets made up of journal papers, book chapters and PhD theses were included in the review.

Primary and secondary outcome measures

Psychometric properties (eg, internal consistency) and sample characteristics (eg, country of use, participant job roles and changes made to the original version of the HSPSC).

Results Just over half (52%) of the studies in our sample reported internal reliabilities lower than 0.7 for at least six HSPSC dimensions. The dimensions 'staffing', 'communication openness', 'non-punitive response to error', 'organisational learning' and 'overall perceptions of safety' resulted in low internal consistencies in a majority of studies. The outcomes from assessing construct validity were reported in 60% of the studies. Most studies took place in a hospital setting (84%); the majority of survey participants (62%) were drawn from nursing and technical staff. Forty-two per cent of the studies did not state what modifications, if any, were made to the original US version of the instrument.

Conclusions While there is evidence of a growing worldwide trend in the use of the HSPSC, particularly within Europe and the Near/Middle East, our review underlines the need for caution in using the instrument. Future use of the HSPSC needs to be sensitive to the demands of care settings, the target population and other aspects of the national and local healthcare contexts. There is a need to develop guidelines covering procedures for using, adapting and translating the HSPSC, as well as reporting findings based on its use.

INTRODUCTION

Over the course of the last few decades, the field of patient safety has expanded and evolved in a number of directions. Early work

Strengths and limitations of this study

- This is the first systematic review of a patient safety culture (PSC) instrument that compares the psychometric properties of a PSC instrument across a range of international studies.
- Our findings cast some doubt over the value of using the Hospital Survey on Patient Safety Culture (HSPSC) without prior consideration of the value of adapting it to fit national and local contexts.
- Our findings relate to only one PSC instrument (the HSPSC) and do not cover other instruments (eg, Safety Attitudes Questionnaire and Patient Safety Climate in Healthcare Organisations (PSCHO)).
- The diversity in study methodology and reporting of studies using the HSPSC means that firm conclusions about the reliability and validity of the instrument are difficult to draw.

concentrated on understanding the extent and the types of human error, which were contributing to patient harm.^{1,2} More recently, the focus has shifted towards understanding the role played by human and organisational issues such as leadership, teamwork and communication in contributing to, as well as preventing, adverse incidents.^{3,4} One prominent organisational factor, safety culture, has in particular generated much interest and discussion.^{5–8} Use of the term 'safety culture' first came about as a result of the Chernobyl nuclear accident⁹ and has since been used as a way of understanding accidents in a wide variety of industries including aviation, oil and gas and most recently healthcare.^{10,11} Safety culture is typically taken to refer to 'the attitudes, beliefs, perceptions and values that employees share in relation to safety in the workplace'.¹² Safety culture as a construct is related to 'safety climate' and is typically associated with 'the underlying assumptions and values that guide behaviour in organisations', whereas safety climate focuses on

'the direct perceptions of individuals' of the underlying culture.¹³

Patient safety culture

Within healthcare, the design of survey instruments and other methods for measuring patient safety culture (PSC) has expanded considerably in the past few years.^{6 10 14} In Europe, for example, the European Network for Patient Safety Project¹⁵ identified 19 different survey instruments and other methods in use throughout the European Union (EU) member states until 2010. At that time, the most frequently used were the Hospital Survey on Patient Safety Culture (HSPSC,¹⁶ used in 12 EU member states), the Manchester Patient Safety Framework¹⁷ (used in 3 EU member states) and the Safety Attitudes Questionnaire¹⁸ (used in 4 EU member states). A similar review identified 26 studies within Europe, which had used the HSPSC instrument between January 2003 and February 2012.¹⁹ In the USA, the Middle East and the Far East, there is likewise evidence of a widening interest in measuring safety culture.^{20–24}

Psychometric properties of PSC instruments

While increased efforts to measure PSC have been welcomed,^{4 6} others have suggested the need for a degree of caution. More than a decade ago, Flin *et al* argued in a series of articles^{25 26} that the psychometric properties of PSC instruments demonstrated poor levels of reliability and validity. More recently, Pronovost and Sexton²⁷ warned that 'the enthusiasm for measuring culture may be outpacing the science'. One explanation for low levels of reliability and validity may be the different interpretations of what constitutes a positive PSC among the diverse occupational groupings and subcultures involved in healthcare delivery.^{28–30} Previous work, for example, has shown that physicians report higher levels of PSC when there is good teamwork across units and a unit-level management that promotes PSC.³¹ Nursing staff, by contrast, are more likely to report higher levels of PSC safety when they feel that there is enough staff in the unit.^{31–33} In addition to these concerns, the psychometric properties of PSC instruments may be affected by other factors such as national culture.³⁴ The extent to which healthcare workers are likely to report incidents and errors, for example, has been shown to be related to cultural norms such as fear of 'losing face' and the desire to avoid uncertainty and ambiguity,³⁵ characteristics that are often associated with Eastern as compared with Western national cultures.^{36–38}

Motivation for the review and aims

The use of a PSC instrument requires significant investment of time and other resources by healthcare providers. In addition, the outcomes from using the instrument often form the basis with which to identify areas for improvement and intervention within hospitals and other healthcare settings. In other cases, healthcare organisations sometimes use the findings to benchmark levels of

PSC across units, departments and hospitals.¹⁸ It is therefore very important that these instruments demonstrate acceptable levels of reliability and validity when they are used.

Currently, there are no examples of systematic reviews of the psychometrics of PSC instruments. Hammer *et al*¹⁹ published a review of the psychometrics of the HSPSC, but this was limited to Europe. The aim of this review was therefore to fill this gap in knowledge and to carry out a review of the international use of psychometric properties of one of the most well-known and widely used surveys on PSC, the HSPSC instrument.^{19 39} In addition, the review examined how the psychometric properties of the HSPSC varied across a range of different types of sample characteristics (eg, country of use, healthcare setting and participant job roles) in order to identify any trends or patterns in the data.

METHODS

Literature search

A literature search for publications that had used the HSPSC was conducted using the Scopus, Web of Science, PubMed and PsycINFO electronic databases. The literature search was initially carried out by the lead author and then checked and updated by the second author. The outcomes from subsequent updates of the literature search were checked by the other authors. The search terms used were 'HSPSC' and the following acronyms and terms that have been used to describe the survey, that is, 'HSPSC', 'HSOPSC', 'HSOPS', 'Survey on Patient Safety Culture' and 'SOPS'. All of these search terms were used in conjunction with the Boolean operator 'OR'. As the original report on the psychometric properties of the HSPSC was published in 2004, the search was limited to studies published between 2004 and July 2018. In addition, citations and references to other publications describing use of the HSPSC were consulted, as well as a list of national contacts provided by the statistical services company (Westat—Agency for Healthcare Research and Quality (AHRQ)⁴⁰), which provides support to the AHRQ and their work with the HSPSC. Online supplementary file 1 provides details of the full search strategy for the Scopus database.

Inclusion and exclusion criteria

We included all international studies that published psychometric properties on healthcare professionals' perception of PSC measured with the HSPSC. To be eligible for inclusion in the review, studies had to be published as journal papers, book chapters or reports that are in the public domain (eg, PhD theses) and written in the English language. A wide variety of study designs were included in the review (eg, studies comparing datasets from two or more countries or regions, studies conducted in one country). The original report¹⁶ outlining the details of the HSPSC and the process used to compile the survey was also included in the review.




Figure 1 Analysis framework. HSPSC, Hospital Survey on Patient Safety Culture.

Framework for analysis

An analysis framework (figure 1) was developed in order to systematically compare (1) psychometric properties of the HSPSC, including internal reliability and the use of factor analysis to assess construct validity; and (2) characteristics of use, including country of use, sample characteristics (setting, participant job roles, sample size and response rate) and adaptations to the original US version of the HSPSC¹⁶ (language, procedure for translation and other changes to the original version of the survey). The framework was guided by previous research examining psychometric properties of PSC surveys.^{19 26 41}

Patient and public involvement

No patients or members of the general public were involved in this study.




Figure 2 Screening and filtering process for the database results.

FINDINGS

Search results

The initial search yielded a total of 8604 studies of potential relevance from the four databases. Sixty-two studies met the inclusion criteria and reported psychometric properties on the HSPSC for a total of 67 datasets (one study used the survey in two different countries,³⁵ two studies used the survey in two different languages in the same country^{42 43} and two studies used the same survey over two different time periods^{44 45}). The screening and filtering process of the database results is shown in figure 2.

Psychometric properties

Internal reliabilities

Table 1 shows the values of internal reliabilities using Cronbach's α coefficient for 67 datasets from the 62 studies. An acceptable value of Cronbach's α is typically taken as 0.70–0.90^{46–48}; however, the first psychometric testing of the HSPSC¹⁶ considered levels of $\alpha \geq 0.60$ as acceptable. Eleven studies did not report values of Cronbach's α for one or more of the dimensions in the HSPSC. Of the remaining 769 values of Cronbach's α given in table 1, there were 355 instances of HSPSC subscales (46.16% of all values) where the internal reliability reported was lower than a Cronbach's α value of 0.70. The internal reliability for the dimension 'staffing' obtained an acceptable level (eg, Cronbach's α score > 0.70) for only 8 of the 62 datasets that reported this dimension. The dimension 'frequency of events' was above the level of acceptability for 61 of the 65 datasets that reported the internal reliability for this item. Thirty-five datasets reported Cronbach's α values of < 0.70 for 6 or more of the 12 dimensions in the HSPSC. Two datasets, from Lebanon²¹ and Turkey,⁴⁹ reported values of $\alpha < 0.70$ for 10 dimensions, and another used in Oman⁵⁰ reported values of $\alpha < 0.70$ for 11 dimensions.

Five dimensions demonstrated consistently weak internal reliability (ie, mean $\alpha < 0.70$) across the 67 HSPSC datasets. The dimension staffing was the weakest (mean $\alpha = 0.56$). This was followed by 'overall perceptions of safety' (43 datasets, where $\alpha < 0.7$, mean $\alpha = 0.60$), 'organisational learning' (47 datasets, where $\alpha < 0.7$, mean $\alpha = 0.63$), 'communication openness' (46 datasets where $\alpha < 0.70$, mean $\alpha = 0.64$) and 'non-punitive response to error' (37 datasets, where $\alpha < 0.7$, mean $\alpha = 0.65$).

Construct validity using factor analysis

Of the 62 articles, 37 (59.68%) tested construct validity using factor analysis. For a total of 16 articles, both exploratory factor analysis (EFA) and confirmatory factor analysis (CFA) had been conducted. For another 3 datasets, EFA had been carried out, and in 18, CFA had been conducted. EFA provides information about the optimal number of factors, whereas CFA determines how well the original 12 factorial structures developed by Sorra and Nieva¹⁶ or alternatives fit the dataset. The appropriateness of the CFA model was assessed by measures of global and local fit.^{46 47 51} The report by Sorra and Nieva¹⁶ is

Table 1 Internal consistencies of the 67 datasets in which the HSPSC was used, from the 62 articles

Authors	Country	Language	Hospital management support for patient safety	Supervisor /manager expectations /actions	Teamwork across hospital units	Teamwork within units	Communication and openness	Hospital handoffs and transitions	Non-punitive response to error	Feedback and communication about error	Staffing	Organisational learning	Overall perceptions of safety	Frequency of event reporting
North and South America														
Sorra and Nívea ^{12,16}	USA	English	0.83	0.75	0.80	0.83	0.72	0.80	0.79	0.78	0.63	0.76	0.74	0.84
Sorra and Dyer ⁶⁸	USA	English	0.79	0.79	0.79	0.83	0.73	0.81	0.78	0.78	0.62	0.71	0.74	0.85
Blegen <i>et al</i> ⁴⁴	USA	English	0.70	0.65	0.68	0.77	0.64	0.76	0.72	0.82	0.44	0.64	0.53	0.83
			0.74	0.69	0.74	0.80	0.58	0.81	0.76	0.81	0.57	0.67	0.61	0.81
Castle ⁶⁹	USA	English	0.81	0.67	0.74	0.75	0.72	0.77	0.70	0.79	0.71	0.75	0.74	0.62
Castle and Sonon ⁷⁰	USA	English	0.66	0.62	0.74	0.80	0.71	0.75	0.72	0.70	0.81	0.77	0.78	0.71
Erlor <i>et al</i> ⁷¹	USA	English	–	0.83	–	0.80	0.68	–	–	–	–	–	0.84	0.90
Marsteller <i>et al</i> ⁷²	USA	English	0.85	0.71	0.81	0.78	0.68	0.82	0.68	0.73	0.80	0.76	0.75	0.86
Wagner <i>et al</i> ⁷³	USA and Canada	English	0.84	0.81	0.84	0.79	0.74	0.83	0.79	0.78	0.70	0.69	0.76	0.80
Tomazoni <i>et al</i> ⁷⁴	Brazil	Portuguese	0.60	0.74	0.60	0.61	0.64	0.64	0.47	0.72	0.46	0.74	0.43	0.88
Silva-Batalha and Melloiro ⁷⁵	Brazil	Portuguese	0.72	0.77	0.56	0.68	0.63	0.70	0.40	0.67	0.66	0.60	0.47	0.87
Andrade <i>et al</i> ⁷⁶	Brazil	Portuguese	0.74	0.73	0.67	0.70	0.59	0.73	0.53	0.74	0.59	0.61	0.63	0.87
Europe														
Viayen <i>et al</i> ⁴²	Belgium	Dutch	0.72	0.77	0.66	0.66	0.65	0.71	0.68	0.78	0.57	0.59	0.58	0.85
		French	0.77	0.75	0.68	0.82	0.72	0.72	0.64	0.76	0.52	0.59	0.63	0.87
Viayen <i>et al</i> ⁴³	Belgium	Dutch	0.72	0.77	0.69	0.65	0.66	0.70	0.70	0.76	0.55	0.50	0.54	0.85
		French	0.79	0.74	0.66	0.84	0.71	0.70	0.68	0.70	0.50	0.58	0.58	0.84
Stoyanova <i>et al</i> ⁷⁷	Bulgaria	Bulgarian	0.86	0.81	0.65	0.63	0.77	0.92	0.75	0.63	0.33	0.61	0.34	0.86
Brborovic <i>et al</i> ⁷⁸	Croatia	Croatian	0.73	0.79	0.79	0.76	0.64	0.64	0.62	0.74	0.35	0.53	0.57	0.91
Boussat <i>et al</i> ⁷⁹	France	French	0.66	0.81	0.56	0.71	0.63	0.60	0.60	0.66	0.60	0.62	0.65	0.84
Occelli <i>et al</i> ⁸⁰	France	French	0.73	0.83	0.59	0.63	0.62	0.66	0.57	0.64	0.46	0.59	0.67	0.84
Kuusmanen <i>et al</i> ⁸¹	Finland	Finnish	0.79	0.78	0.72	0.81	0.52	0.71	0.72	0.67	0.62	0.60	0.66	0.67
Turunen <i>et al</i> ⁸²	Finland	Finnish	0.83	0.75	–	–	–	–	0.79	0.78	–	–	0.74	0.84
Hammer <i>et al</i> ⁸³	Germany	German	0.87	0.69	0.78	0.77	0.64	0.83	0.73	0.79	0.73	0.61	0.73	0.86

Continued

Table 1 Continued

Authors	Country	Language	Hospital management support for patient safety	Supervisor /manager expectations /actions	Teamwork across hospital units	Teamwork within units	Communication and openness	Hospital handoffs and transitions	Non-punitive response to error	Feedback and communication about error	Staffing	Organisational learning	Overall perceptions of safety	Frequency of event reporting
Gambashidze <i>et al</i> ²³	Germany	German	0.83	0.75	0.79	0.78	—*	—†	0.73	0.83	0.79	—†	—†	0.87
Kapaki and Souliotis ⁸⁴	Greece	Greek	0.79	0.84	0.88	0.80	0.77	—¶	0.71	—**	0.60	0.60	—††	0.82
Tereanu <i>et al</i> ⁸⁵	Italy	Italian	0.82	0.75	0.70	0.85	0.79	0.77	0.71	0.76	—††	0.74	—	0.93
Smits <i>et al</i> ⁸⁶	The Netherlands	Dutch	0.68	0.70	0.72	0.66	0.72	0.65	0.69	0.78	0.58	—§§	0.64	0.79
Verbeek-Van Noord <i>et al</i> ⁸⁷	The Netherlands	Dutch	0.72	0.78	0.78	0.60	0.67	0.66	0.55	0.75	0.47	—¶¶	0.67	0.81
Olsen ⁸⁸	Norway	Norwegian	0.79	0.77	0.65	0.77	0.68	0.65	0.64	0.70	0.65	0.51	0.76	0.82
Olsen and Aase ⁸⁹	Norway	Norwegian	0.78	0.76	0.68	0.74	0.65	0.68	0.67	0.69	0.68	0.53	0.75	0.75
Haugen <i>et al</i> ⁹⁰	Norway	Norwegian	0.80	0.85	0.73	0.75	0.67	0.68	0.68	0.73	0.59	0.64	0.78	0.82
Storm <i>et al</i> ⁴⁵	Norway	Norwegian	0.74	0.79	0.62	0.83	0.46	0.69	0.73	0.63	0.63	0.67	0.68	0.70
	Norway	Norwegian	0.84	0.74	0.71	0.84	0.70	0.71	0.62	0.79	0.61	0.72	0.74	0.69
Eiras <i>et al</i> ⁶²	Portugal	Portuguese	0.77	0.72	0.69	0.73	0.67	0.71	0.57	0.76	0.48	0.71	0.62	0.90
Tereanu <i>et al</i> ⁹¹	Romania	Romanian	0.73	0.78	0.74	0.75	0.83	—***	0.68	—†††	—†††	0.56	—	0.93
Sarac <i>et al</i> ⁹²	UK	English	0.79	0.79	0.70	0.80	0.73	0.74	0.77	0.78	0.60	0.64	0.71	0.84
Waterson <i>et al</i> ⁹³	UK	English	0.69	0.68	0.70	0.73	0.67	0.77	0.65	0.80	0.58	0.66	0.67	0.83
Robida ⁹⁴	Slovenia	Slovene	0.82	0.74	0.74	0.74	0.74	0.66	0.61	0.72	0.65	0.36	0.65	0.88
Robida ⁹⁵	Slovenia	Slovene	0.81	0.75	0.72	0.76	0.73	0.69	0.60	0.75	0.63	0.65	0.62	0.89
Hedsköld <i>et al</i> ⁹⁶	Sweden	Swedish	0.81	0.78	0.72	0.76	0.68	0.74	0.74	0.76	0.67	0.66	0.71	0.87
Nordin <i>et al</i> ⁹⁷	Sweden	Swedish	0.82	0.75	0.68	0.67	0.62	0.72	0.74	0.72	0.60	0.61	0.74	0.87
Danielsson	Sweden	Swedish	0.81	0.82	0.74	0.79	0.68	0.77	0.76	0.78	0.73	0.73	0.79	0.86
Poussette <i>et al</i> ⁹⁹	Sweden	English	0.78	0.76	0.65	0.74	0.67	0.69	0.70	0.68	—\$\$\$	0.62	—	—
Perneger <i>et al</i> ¹⁰⁰	Switzerland	French	0.79	0.75	0.71	0.80	0.67	0.78	0.60	0.77	0.61	0.57	0.68	0.86
Pfeiffer and Manser ⁶³	Switzerland	German	0.83	0.78	0.76	0.73	0.64	0.71	0.71	0.79	0.61	0.68	0.75	0.88
Near and Middle East														
Moghri <i>et al</i> ¹⁰¹	Iran	Farsi	0.79	0.80	0.77	0.68	0.68	0.76	0.77	0.74	0.64	0.70	0.57	0.78
Khater <i>et al</i> ²³	Jordan	Arabic	0.60	0.54	0.61	0.73	0.46	0.71	0.61	0.70	0.41	0.52	0.50	0.78
Saleh <i>et al</i> ¹⁰²	Jordan	English	0.77	0.67	0.66	0.82	0.64	0.71	0.63	0.73	0.77	0.60	0.65	0.73

Continued

Table 1 Continued

Authors	Country	Language	Hospital management support for patient safety	Supervisor /manager expectations /actions	Teamwork across hospital units	Teamwork within units	Communication and openness	Hospital handoffs and transitions	Non-punitive response to error	Feedback and communication about error	Staffing	Organisational learning	Overall perceptions of safety	Frequency of event reporting
Suliman <i>et al</i> ¹⁰³	Jordan	Arabic	0.72	0.63	0.61	0.73	0.75	0.69	0.63	0.61	0.72	0.68	0.58	0.79
El-Jardali <i>et al</i> ²¹	Lebanon	Arabic	0.63	0.57	0.69	0.68	0.46	0.74	0.53	0.65	0.48	0.50	0.45	0.81
Al-Mandhari <i>et al</i> ²⁰	Oman	English	0.59	0.53	0.63	0.53	0.59	0.63	0.60	0.47	0.41	0.54	0.51	0.78
Najjar <i>et al</i> ¹⁰⁴	Palestine	Arabic	0.66	0.75	0.61	0.77	0.41	0.73	0.59	0.69	0.65	0.79	0.43	0.87
Hamdan and Saleem ¹⁰⁵	Palestine	Arabic	0.76	0.76	0.61	0.77	0.38	0.72	0.57	0.69	0.62	0.79	0.67	0.86
Aboshaiqah ¹⁰⁶	Saudi Arabia	English	0.59	0.61	0.62	0.72	0.53	0.70	0.61	0.76	0.34	0.64	0.15	0.87
El-Jardali <i>et al</i> ¹⁰⁷	Saudi Arabia	Arabic	0.58	0.44	0.64	0.81	0.54	0.77	0.64	0.79	0.24	0.70	0.21	0.89
Alonazi ¹⁰⁸	Saudi Arabia	English	0.65	0.75	0.69	0.75	0.67	0.59	0.72	0.74	0.57	0.63	0.31	0.83
Alswat <i>et al</i> ¹⁰⁹	Saudi Arabia	Arabic	0.52	0.40	0.63	0.76	0.53	0.78	0.69	0.73	0.21	0.61	0.23	0.90
Günes <i>et al</i> ⁴⁹	Turkey	Turkish	0.65	0.68	0.65	0.74	0.54	0.63	0.55	0.69	0.54	0.56	0.54	0.91
Bodur and Filiz ¹¹⁰	Turkey	Turkish	0.59	0.67	0.73	0.84	0.67	0.70	0.13	0.82	0.02	0.56	0.43	0.93
Bodur and Filiz ¹¹¹	Turkey	Turkish	–[11]	0.72	0.80	0.83	–****	0.72	0.71	0.81	0.63	0.68	0.57	0.86
Far East														
Nie <i>et al</i> ¹¹²	China	Chinese	0.67	0.51	0.63	0.72	0.47	–+++	0.75	0.64	0.63	0.74	0.64	–
Shu <i>et al</i> ¹¹³	China	Chinese	0.54	0.63	0.76	0.79	0.48	0.44	0.49	0.69	0.26	0.48	0.35	0.89
Wang and Tao ¹¹⁴	China	Chinese	0.61	0.64	0.62	0.67	0.79	0.68	0.48	0.61	0.31	0.46	0.87	0.80
Ito <i>et al</i> ¹¹⁵	Japan	Japanese	0.61	0.70	0.70	0.83	0.62	0.73	0.71	0.77	0.46	0.65	0.62	0.88
Fujita <i>et al</i> ³⁵	Japan	Japanese	0.62	0.70	0.70	0.82	0.64	0.74	0.71	0.78	0.47	0.65	0.63	0.88
	Taiwan	Mandarin	0.59	0.65	0.72	0.77	0.54	0.72	0.56	0.46	0.58	0.63	0.26	0.83
Chen and Li ²⁰	Taiwan	Chinese	0.70	0.73	0.69	0.78	0.51	0.76	0.70	0.36	0.51	0.68	0.52	0.53
Descriptive Statistics														
Minimum			0.52	0.40	0.56	0.53	0.38	0.44	0.13	0.36	0.02	0.36	0.15	0.53
Maximum			0.87	0.85	0.88	0.85	0.83	0.92	0.79	0.83	0.81	0.79	0.87	0.93
Mean			0.73	0.72	0.70	0.75	0.64	0.72	0.65	0.72	0.56	0.63	0.60	0.83
SD			0.09	0.09	0.07	0.07	0.10	0.07	0.11	0.09	0.15	0.09	0.16	0.07
<0.7			21	20	32	13	46	19	37	19	54	47	43	4
Percentage <0.7			32.31	29.85	49.23	19.70	71.88	31.15	56.06	29.69	87.10	75.81	69.35	6.15

Continued

Table 1 Continued											
Authors	Country	Language	Hospital management support for patient safety	Supervisor /manager expectations /actions	Teamwork across hospital units	Teamwork within units	Communication openness	Hospital handoffs and transitions	Non-punitive response to error	Feedback and communication about error	Staffing
	<0.6		7	6	3	1	17	2	14	3	31
	Percentage <0.6		10.77	8.96	4.62	1.52	26.56	3.28	21.21	4.69	50.00
											18
											29.03
											24
											38.71
											1
											1.54

Bold values are lower than a value of 0.7 Cronbach alpha.

*The dimensions 'communication openness' and 'feedback and communication about error' were combined into one factor.

†The dimensions 'hospital handoffs and transitions' and 'teamwork across hospital units' were combined into one factor.

‡The dimension 'organisational learning' was omitted.

§The dimensions 'staffing' and 'overall perceptions of safety' were combined into one factor.

¶The dimensions 'hospital handoffs and transitions' and 'teamwork across hospital units' were combined into one factor.

**The dimensions 'communication openness' and 'feedback and communication about error' were combined into one factor.

††The dimension 'overall perceptions of safety' was omitted.

‡‡The dimensions 'staffing' and 'overall perceptions of patient safety' were combined into one factor.

§§The dimensions 'organisational learning' and 'feedback and communication about error' were combined into one factor.

¶¶This dataset used the tool translated by Smits et al.⁴⁹ where the dimensions 'organisational learning' and 'feedback and communication about error' were combined into one factor.

***As the dimensions 'handoffs and transitions' had only two items, the internal reliability was not determined for this dimension.

†††The dimensions 'feedback and communication about error' and 'communication openness' were combined into one factor named 'communication'.

‡‡‡The dimensions 'staffing' and 'overall perceptions of patient safety' were omitted.

§§§The dimensions 'staffing', 'overall perceptions of safety' and 'frequency of events reporting' were omitted.

¶¶¶The dimension 'hospital management support for patient safety' was grouped with the dimension 'teamwork across hospital units'.

****The dimension 'communication openness' was grouped with the dimension 'feedback and communication about error'.

††††The dimensions 'frequency of events reporting' and 'handoffs and transitions' were omitted.

HSPSC, Hospital Survey on Patient Safety Culture.




Figure 3 Growth of use of the HSPSC from 2004 to 2018 across world regions of the studies included in our sample. HSPSC, Hospital Survey on Patient Safety Culture.

one of the 16 articles where both EFA and CFA had been conducted, resulting in a factorial structure of 12 factors. In 11 datasets, the original 12 HSPSC dimensions were confirmed. In six datasets, two factors were combined to create one. One dataset⁵² based on the CFA resulted in a good overall fit. Online supplementary file 2 provides further details of the use of factor analysis to assess the construct validity for our sample.

Sample characteristics

Country of use

The study sample consisted of a total of 30 different countries. Eleven studies reported the use of the survey in North America (n=8) and South America (n=3), 30 in Europe, 15 in the Near East and the Middle East, and 7 in the Far East. The growth of the use of the HSPSC from 2004 to 2018 across the world is shown in figure 3.

Setting and participant job roles

The setting within which the survey was used was predominantly hospitals, with 47 of the 62 published studies (75.81%) using the survey in acute general, public, private, psychiatric, community, and secondary and tertiary hospitals. Of the remaining 15 studies, 3 used the survey in long-term care settings. Four studies sampled specific job roles (eg, nursing staff and medical directors of hospitals). The remaining eight studies used the survey within different specialist hospital units or areas (eg, emergency, critical care transport and neonatal intensive care). The job roles and clinical backgrounds of participants across the studies (table 2) indicated that the majority of participants worked as nursing staff or health-care assistants (mean percentage=50.77%±13.05% across the studies), followed by medical and technical staff (mean percentage=11.67%±7.73%), physicians (mean percentage=9.56%±6.44%), and managers and administrative staff (mean percentage=7.47%±6.37%).

Sample size, response rate and adaptations to the original version of the HSPSC

Sample sizes varied across the studies. In total, data were reported from 408 563 respondents from 1119 healthcare

Table 2 Weighted mean percentage of the different participant roles and the weighted SDs across all 67 datasets from the 62 studies

Participant role	Mean (%)	SD (%)
Nurse/health assistant	50.77	13.05
Medical/technical staff	11.67	7.73
Physicians	9.56	6.44
Manager/administrative staff	7.47	6.37
Others	6.73	4.64
Patient care assistant/hospital aide/care partner	6.58	9.89
No answer/missing	3.44	6.09
Pharmacist	1.16	1.33

organisations.¹⁶ Site sample size ranged from 331 hospitals to studies carried out within a single site. Most studies (85.48%) did not identify the number of hospital units in which respondents worked. Sample sizes ranged from 51 to 111 478 individuals, with a median of 1026. Response rates ranged from 17% to 98% (mean=38.94%±29.54%). Of the 62 studies, the HSPSC instrument was applied in 20 different languages. Vlayen *et al*^{42 43} used a French and a Dutch translation. One study³⁵ used the HSPSC in Japan and Taiwan, translating the survey into Japanese and Mandarin. From the 67 datasets, 16 obtained results through the use of an English version of the survey. Another 27 datasets required the HSPSC to be translated into a language other than English using several different translation procedures, and 24 datasets used the survey translated in previous studies. Two datasets used the original AHRQ translation guidelines. Fourteen datasets reported using forward-backward translation. Twelve datasets reviewed and verified the translation using an independent expert group. Five datasets made no modifications to the original version of the instrument, and 28 datasets (41.79%) did not state whether modifications were made. Online supplementary files 3 and 4 provide details of the sample sizes, response rates and adaptations to the HSPSC in the 67 datasets.

DISCUSSION

Implications of the review for users of the HSPSC

A clear implication of our review is that researchers and healthcare practitioners should adopt a degree of caution when using the original, unmodified version of the HSPSC¹⁶ to measure PSC. Nearly 50% of items from the 12 HSPSC dimensions in our sample demonstrate weak levels of reliability. In some cases, the internal reliabilities of specific dimensions (eg, staffing and overall perceptions of safety) were very weak. By contrast, the internal reliabilities for other dimensions (eg, 'teamwork across/within units') were stronger. While most studies (59.68%) that used CFA found a fit with the original 12-factor

model,¹⁶ inconsistencies in carrying out assessments of construct validity (eg, testing EFA models using CFA and carrying out cross validation) make it very difficult to draw firm conclusions about the validity of the HSPSC. This difficulty is compounded by the fact that only 43% of the datasets in our sample report the outcomes from using factor analysis to assess construct validity. It has been 15 years since the original report describing the HSPSC instrument was released by AHRQ, and one recommendation from our review is that many of the instrument's dimensions and items need to be revised. Further development and revision of the HSPSC might result in improved psychometric properties and increase its suitability for use across a range of international settings and contexts.

The need for guidance covering adaptations and other changes to the HSPSC

Just under a quarter of the studies in our sample made changes to the original survey items and/or dimensions. Over a third of the sample did not state what modifications, if any, were made to the original US version of the survey. It is well known that changing items and dimensions, alongside other variations in procedure (eg, procedures used to translate the HSPSC and reverse scoring questions), are likely to impact on the psychometric properties of the instrument.^{53 54} Alterations to the HSPSC also make it difficult to obtain valid measurements and to carry out cross-national comparisons. We would recommend scientific support and guidance for users of the HSPSC covering necessary adaptations in survey items to meet language requirements of different national, regional and healthcare contexts.^{55 56} Some guidelines already exist but are limited in coverage (eg, focusing solely on translation⁵⁷) and could be expanded to consider, among other things, advice regarding changes to items and dimensions and the reporting of findings. In addition, the development of guidelines covering the reporting of data from PSC surveys might make it easier for healthcare managers and decision makers to benchmark data within their organisations in order to promote organisational learning processes.

Educational support, resources and the development of standards

We also found a lot of variation across the studies with regard to the reporting of psychometric data, particularly the outcomes of using factor analysis. While recognising that this is something of a 'grey area' (eg, agreement with regard to CFA fit indices) and that the analysis and interpretation of psychometric properties require some skills and knowledge, there is room for further improvement in the future, particularly in terms of the provision of educational resources and the development of standards and guidance covering criteria and levels of acceptability for psychometric data. One way forward may be to work towards a set of networks for sharing, comparing and benchmarking the results from using the HSPSC and other PSC instruments and tools. Some of these networks

already exist (eg, the web resources provided for the HSPSC by AHRQ) but may be expanded in the same way that other types of collaborative networks and 'observatories' work in other domains of safety (eg, road safety⁵⁸) to include protocols and standards for data collection, analysis and reporting,⁵⁵ as well as other educational and training resources.

Implications of the review for researchers

The field of PSC is relatively new in comparison to the range of other scientific disciplines that have examined safety and organisational culture over the last 30 or so years (eg, safety science, human factors and organisational psychology^{59 60}). Likewise, the use of safety culture instruments is well established in a variety of industrial sectors outside of healthcare (eg, nuclear energy, aviation and construction). There is much that could be learnt both in terms of theory and methodology from this large body of knowledge and experience. We would point to three specific areas for the future. First, there is a need to understand the influence of a range of other influences on PSC, including the role played by national culture and professional subculture. Wagner *et al.*⁶¹ for example, found clear differences between the Netherlands, the USA and Taiwan in terms of responses to some HSPSC dimensions (eg, communication openness and non-punitive response to error). The large variability in terms of the reliability and validity of the HSPSC across our sample might be due to the influence of professional groups and other subcultures within healthcare.^{30 62} Many HSPSC items may be very differently interpreted and may elicit very different opinions among different healthcare groups (eg, nursing staff, physicians and managers^{31 63}).

Second, there is a need to expand the range of theoretical constructs that influence and shape PSC. Research on, for example, the relationship between 'speaking up' and 'voice', levels of management control and PSC is starting to appear^{64 65}; however, there is potential for expansion. Similarly, research on the extent of agreement on levels of PSC among healthcare units and groups ('climate strength'⁵⁶) is starting to appear. A range of other constructs influencing PSC, which are well established in other disciplines (eg, organisational psychology⁵⁹), including leadership styles and organisational justice, might also form part of an agenda for future research. Finally, we know very little about the levels of change in PSC over time, how these levels may decline, improve or stagnate, and what triggers these changes.

Thirdly, we would point to the value of using mixed methods to measure PSC as a means of addressing and taking into account the important role played by diverse social, cultural and subcultural contexts within different healthcare settings. Combining survey data with data drawn from interviews or focus groups, for example, is currently under-represented in the literature on PSC,²⁶ despite being relatively common in studies of PSC in other safety-critical industries (eg, aviation, where interviews and focus groups are often used as a means to check

and validate other data, including those from survey instruments⁶⁶).

Limitations of the review

Our review is the first to systematically examine the psychometric properties of a PSC instrument across a broad range of international contexts; however, it focuses on only one of several instruments currently in use (eg, refs 18 67). We would point to the need for similar systematic reviews of the psychometric properties of these instruments to be carried out in the future. Finally, the diverse ways in which studies in our sample reported details of the procedure, which was used to administer the instrument, as well as how they reported findings from its use, made it difficult to derive firm conclusions about the reliability and validity of the HSPSC.

Acknowledgements We thank Professor Paula Griffiths (School of Sport, Exercise and Health Sciences, Loughborough University) for her comments on an earlier draft of the paper. We also thank the reviewers for *BMJ Open* for their helpful comments on an earlier version of this paper.

Contributors PW was responsible for the conception and design of the study. The paper was primarily written by PW. Data collection and analysis were initially carried out by PW and subsequently completed by E-MC. TM and AH commented on successive drafts of the paper and suggested areas for revision and improvement.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement All data relevant to the study are included in the article or uploaded as supplementary information.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

REFERENCES

1. Catchpole K, Hadi M, Morgan L, *et al.* Human factors and ergonomics in surgical safety: that was then, this is now. In: Albolino S, Bagnara S, Bellandi T, *et al.*, eds. *Healthcare Ergonomics and patient safety 2011*. CRC Press, Taylor and Francis, 2011.
2. Wears RL, Sutcliffe KM, Van Rite E. Patient safety: a brief but spirited history. In: *Patient safety: perspectives on evidence, information and knowledge transfer*. Gower Publishing: Surrey, 2016: 1–21.
3. Carayon P. *Human Factors and Ergonomics in Health Care and Patient Safety*. Boca Raton: CRC Press, 2012.
4. Waterson P, Catchpole K. Human factors in healthcare: welcome progress, but still scratching the surface. *BMJ Qual Saf* 2016;25:480–4.
5. Stelfox HT, Palmisani S, Scurlock C, *et al.* The "To Err is Human" report and the patient safety literature. *Qual Saf Health Care* 2006;15:174–8.
6. Health Foundation. Measuring safety culture, 2011. Available: <http://www.health.org.uk/sites/health/files/MeasuringSafetyCulture.pdf> [Accessed 22 May 2017].
7. Itoh K, Andersen HB, Madsen MD. Safety culture in health care. In: Carayon P, ed. *Human factors and ergonomics in health care and patient safety*. Boca Raton, USA: CRC Press, Taylor and Francis, 2012.
8. Singer SJ, Vogus TJ. Reducing Hospital errors: interventions that build safety culture. *Annu Rev Public Health* 2013;34:373–96.
9. International Nuclear Safety Advisory Group. Summary report on the Post-Accident review meeting on the Chernobyl accident 1986. STI/PUB/740 (ISBN:92-0-123186-5).

10. Waterson P. *Patient Safety Culture: Theory, Methods and Application*. Ashgate: Farnham, 2014.
11. Vincent C, Amalberti R. *Safer Healthcare: Strategies for the Real World*. New York: Springer International Publishing, 2016.
12. Cox S, Cox T. The structure of employee attitudes to safety: a European example. *Work & Stress* 1991;5:93–106.
13. Griffin MA, Curcuruto M. Safety climate in organizations. *Annu. Rev. Organ. Psychol. Organ. Behav.* 2016;3:191–212.
14. van Nunen K, Li J, Reniers G, et al. Bibliometric analysis of safety culture research. *Saf Sci* 2018;108:248–58.
15. European Society for Quality in Healthcare. *Use of patient safety culture instruments and recommendations*. Denmark: Aarhus, 2010.
16. Sorra J, Nieva V. *Hospital survey on patient safety culture*. Rockville, 2004.
17. Parker D. Managing risk in healthcare: understanding your safety culture using the Manchester patient safety framework (MaPSaF). *J Nurs Manag* 2009;17:218–22.
18. Sexton JB, Helmreich RL, Neilands TB, et al. The safety attitudes questionnaire: psychometric properties, benchmarking data, and emerging research. *BMC Health Serv Res* 2006;6:44.
19. Hammer A, Manser T, Waterson P. The Use of the Hospital Survey on Patient Safety Culture in Europe. In: Waterson P, Loughborough U, eds. *Patient safety culture: theory, methods and application*. Ashgate Publishing Ltd, 2014: 229–62.
20. Chen I-C, Li H-H. Measuring patient safety culture in Taiwan using the hospital survey on patient safety culture (HSOPSC). *BMC Health Serv Res* 2010;10:152.
21. El-Jardali F, Jaafar M, Dimassi H, et al. The current state of patient safety culture in Lebanese hospitals: a study at baseline. *Int J Qual Health Care* 2010;22:386–95.
22. Elmontsri M, Almashrafi A, Banarsee R, et al. Status of patient safety culture in Arab countries: a systematic review. *BMJ Open* 2017;7:e013487.
23. Khater WA, Akhu-Zaheya LM, Al-Mahasneh SI, et al. Nurses' perceptions of patient safety culture in Jordanian hospitals. *Int Nurs Rev* 2015;62:82–91.
24. Famolaro T, Dyer Yount N, Hare R, et al. Hospital survey on patient safety culture 2018 user database report. Rockville, MD; 2018, MD.
25. Flin R, Burns C, Mearns K, et al. Measuring safety climate in health care. *Qual Saf Health Care* 2006;15:109–15.
26. Flin R. Measuring safety culture in healthcare: a case for accurate diagnosis. *Saf Sci* 2007;45:653–67.
27. Pronovost P, Sexton B. Assessing safety culture: guidelines and recommendations. *Qual Saf Health Care* 2005;14:231–3.
28. Halligan M, Zecevic A. Safety culture in healthcare: a review of concepts, dimensions, measures and progress. *BMJ Qual Saf* 2011;20:338–43.
29. Gambashidze N, Hammer A, Brösterhaus M, et al. Evaluation of psychometric properties of the German Hospital survey on patient safety culture and its potential for cross-cultural comparisons: a cross-sectional study. *BMJ Open* 2017;7:e018366.
30. Mannion R, Davies H. Understanding organisational culture for healthcare quality improvement. *BMJ* 2018;363.
31. Gambashidze N, Hammer A, Wagner A, et al. Influence of gender, profession, and managerial function on Clinicians' perceptions of patient safety culture. *J Patient Saf* 2019;1.
32. Kristensen S, Christensen KB, Jaquet A, et al. Strengthening leadership as a catalyst for enhanced patient safety culture: a repeated cross-sectional experimental study. *BMJ Open* 2016;6:e010180.
33. Wagner A, Rieger MA, Manser T, et al. Healthcare professionals' perspectives on working conditions, leadership, and safety climate: a cross-sectional study. *BMC Health Serv Res* 2019;19:53.
34. Schwendimann R, Zimmermann N, Küng K, et al. Variation in safety culture dimensions within and between US and Swiss Hospital units: an exploratory study. *BMJ Qual Saf* 2013;22:32–41.
35. Fujita S, Seto K, Ito S, et al. The characteristics of patient safety culture in Japan, Taiwan and the United States. *BMC Health Serv Res* 2013;13:20.
36. Chiang H-Y, Lin S-Y, Hsu S-C, et al. Factors determining Hospital nurses' failures in reporting medication errors in Taiwan. *Nurs Outlook* 2010;58:17–25.
37. Kim J, An K, Kim MK, et al. Nurses' perception of error reporting and patient safety culture in Korea. *West J Nurs Res* 2007;29:827–44.
38. Noort MC, Reader TW, Shorrock S, et al. The relationship between national culture and safety culture: implications for international safety culture assessments. *J Occup Organ Psychol* 2016;89:515–38.
39. Reis CT, Paiva SG, Sousa P. The patient safety culture: a systematic review by characteristics of hospital survey on patient safety culture dimensions. *Int J Qual Health Care* 2018;30:660–77.
40. Agency for Healthcare Research and Quality. Hospital survey on patient safety culture, 2017. Available: <https://www.ahrq.gov/sops/quality-patient-safety/patientsafetyculture/hospital/index.html> [Accessed 5 Feb 2018].
41. Colla JB, Bracken AC, Kinney LM, et al. Measuring patient safety climate: a review of surveys. *Qual Saf Health Care* 2005;14:364–6.
42. Vlayen A, Hellings J, Claes N, et al. A nationwide Hospital survey on patient safety culture in Belgian hospitals: setting priorities at the launch of a 5-year patient safety plan. *BMJ Qual Saf* 2012;21:760–7.
43. Vlayen A, Hellings J, Claes N, et al. Measuring safety culture in Belgian psychiatric hospitals: validation of the Dutch and French translations of the hospital survey on patient safety culture. *J Psychiatr Pract* 2015;21:124–39.
44. Blegen MA, Gearhart S, O'Brien R, O'Brien R, et al. AHRQ's Hospital survey on patient safety culture: psychometric analyses. *J Patient Saf* 2009;5:139–44.
45. Storm M, Schulz J, Aase K. Patient safety in transitional care of the elderly: effects of a quasi-experimental interorganisational educational intervention. *BMJ Open* 2018;8:e017852.
46. Field A. *Discovering Statistics Using IBM SPSS Statistics*. 4th Edn. London: SAGE Publications, 2013.
47. Kline P. *The Handbook of Psychological Testing*. 2nd Edn. London: Routledge, 1999.
48. Tavakol M, Dennick R. Making sense of Cronbach's alpha. *Int J Med Educ* 2011;2:53–5.
49. ÜY G, Ö G, Sönmez M. A survey of the patient safety culture of hospital nurses in turkey. *Collegian* 2016;23:225–32.
50. Al-Mandhari A, Al-Zakwani I, Al-Kindi M, et al. Patient safety culture assessment in Oman. *Oman Med J* 2014;29:264–70.
51. Hair JF, Black WC, Babin BJ, et al. *Multivariate Data Analysis*. In: River US, ed. *Seventh*. New Jersey: Prentice Hall, 2010.
52. Eiras M, Escoval A, Grillo IM, et al. The hospital survey on patient safety culture in Portuguese hospitals: instrument validity and reliability. *Int J Health Care Qual Assur* 2014;27:111–22.
53. Manser T, Brösterhaus M, Hammer A. You can't improve what you don't measure: Safety climate measures available in the German-speaking countries to support safety culture development in healthcare. *Zeitschrift für Evidenz, Fortbildung und Qualität im Gesundheitswesen* 2016;114:58–71.
54. Weijters B, Baumgartner H, Schillewaert N. Reversed item bias: an integrative model. *Psychol Methods* 2013;18:320–34.
55. Jackson J, Sarac C, Flin R. Hospital safety climate surveys: measurement issues. *Curr Opin Crit Care* 2010;16:632–8.
56. Ginsburg L, Gilin Oore D. Patient safety climate strength: a concept that requires more attention. *BMJ Qual Saf* 2016;25:680–7.
57. Agency for Healthcare Research and Quality. Translation guidelines for the AHRQ surveys on patient safety culture. Available: <https://www.ahrq.gov/sites/default/files/wysiwyg/professionals/quality-patient-safety/patientsafetyculture/resources/transguide.pdf> [Accessed 17 Sep 2018].
58. The European Road Safety Observatory (ERSO), 2007. Available: <http://www.roadsafe.com/news543> [Accessed 17 Sep 2018].
59. Schneider B, González-Romá V, Ostroff C, et al. Organizational climate and culture: reflections on the history of the constructs in the Journal of applied psychology. *J Appl Psychol* 2017;102:468–82.
60. Antonsen S. *Safety culture : theory, method and improvement*. Farnham, UK: Ashgate, 2009.
61. Wagner C, Smits M, Sorra J, et al. Assessing patient safety culture in hospitals across countries. *Int J Qual Health Care* 2013;25:213–21.
62. Dixon-Woods M, Baker R, Charles K, et al. Culture and behaviour in the English National health service: overview of lessons from a large multimethod study. *BMJ Qual Saf* 2014;23:106–15.
63. Pfeiffer Y, Manser T. Development of the German version of the hospital survey on patient safety culture: dimensionality and psychometric properties. *Saf Sci* 2010;48:1452–62.
64. Alingh CW, van Wijngaarden JDH, van de Voorde K, et al. Speaking up about patient safety concerns: the influence of safety management approaches and climate on nurses' willingness to speak up. *BMJ Qual Saf* 2018.
65. Martin GP, Aveling E-L, Campbell A, et al. Making soft intelligence hard: a multi-site qualitative study of challenges relating to voice about safety concerns. *BMJ Qual Saf* 2018;27:710–7.
66. Kirwan B, Shorrock S. A view from elsewhere: Safety culture in European air traffic management. In: Waterson P, ed. *Patient Safety*

- Culture: Theory, Methods and Application* Farnham. UK: CRC Press, 2014: 349–70.
67. Singer S, Meterko M, Baker L, et al. Workforce perceptions of hospital safety culture: development and validation of the patient safety climate in healthcare organizations survey. *Health Serv Res* 2007;42:1999–2021.
 68. Sorra JS, Dyer N. Multilevel psychometric properties of the AHRQ Hospital survey on patient safety culture. *BMC Health Serv Res* 2010;10:199.
 69. Castle NG. Nurse Aides' ratings of the resident safety culture in nursing homes. *Int J Qual Heal Care* 2006;18:370–6.
 70. Castle NG, Sonon KE. A culture of patient safety in nursing homes. *Qual Saf Health Care* 2006;15:405–8.
 71. Erler C, Edwards NE, Ritchey S, et al. Perceived patient safety culture in a critical care transport program. *Air Med J* 2013;32:208–15.
 72. Marsteller JA, Wen M, Hsu Y-J, et al. Safety culture in cardiac surgical teams: data from five programs and national surgical comparison. *Ann Thorac Surg* 2015;100:2182–9.
 73. Wagner LM, Capezuti E, Rice JC. Nurses' perceptions of safety culture in long-term care settings. *J Nurs Scholarsh* 2009;41:184–92.
 74. Tomazoni A, Rocha PK, de Souza S, Souza Sde, et al. Patient safety culture at neonatal intensive care units: perspectives of the nursing and medical team. *Rev Lat Am Enfermagem* 2014;22:755–63.
 75. Silva-Batalha EMS, Melleiro MM. Patient safety culture in a teaching hospital: differences in perception existing in the different scenarios of this institution. *Texto contexto - enferm.* 2015;24:432–41.
 76. Andrade LEL, Melo LOM, Silva IGD, et al. Adaptation and validation of the hospital survey on patient safety culture in an electronic Brazilian version. *Epidemiol Serv Saude* 2017;26:455–68.
 77. Stoyanova R, Dimova R, Tarnovska M, et al. Linguistic validation and cultural adaptation of Bulgarian version of hospital survey on patient safety culture (HSOPSC). *Open Access Maced J Med Sci* 2018;6:925–30.
 78. Brborović H, Šklebar I, Brborović O, et al. Development of a Croatian version of the US Hospital survey on patient safety culture questionnaire: dimensionality and psychometric properties. *Postgrad Med J* 2014;90:125–32.
 79. Boussat B, François P, Gandon G, et al. Inconsistencies between two cross-cultural adaptations of the hospital survey on patient safety culture into French. *J Patient Saf* 2017;1.
 80. Occelli P, Quenon J-L, Kret M, et al. Validation of the French version of the hospital survey on patient safety culture questionnaire. *Int J Qual Health Care* 2013;25:459–68.
 81. Kuosmanen A, Tiihonen J, Repo-Tiihonen E, et al. Patient safety culture in two Finnish state-run forensic psychiatric hospitals. *J Forensic Nurs* 2013;9:207–16.
 82. Turunen H, Partanen P, Kvist T, et al. Patient safety culture in acute care: a web-based survey of nurse managers' and registered nurses' views in four Finnish hospitals. *Int J Nurs Pract* 2013;19:609–17.
 83. Hammer A, Ernstmann N, Ommen O, et al. Psychometric properties of the hospital survey on patient safety culture for hospital management (HSOPS_M). *BMC Health Serv Res* 2011;11:165.
 84. Kapaki V, Souliotis K. Psychometric Properties of the Hospital Survey on Patient Safety Culture (HSOPSC): Findings from Greece. In: Firstenberg MS, Stawicki SP, eds. *Vignettes in Patient Safety - Volume 2*. Rijeka: InTech, 2018.
 85. Tereanu C, Smith SA, Sampietro G, et al. Experimenting the hospital survey on patient safety culture in prevention facilities in Italy: psychometric properties. *Int J Qual Heal Care* 2017;1–7.
 86. Smits M, Christiaans-Dingelhoff I, Wagner C, et al. The psychometric properties of the 'Hospital Survey on Patient Safety Culture' in Dutch hospitals. *BMC Health Serv Res* 2008;8:230.
 87. Verbeek-Van Noord I, Wagner C, Van Dyck C, et al. Is culture associated with patient safety in the emergency department? A study of staff perspectives. *International Journal for Quality in Health Care* 2014;26:64–70.
 88. Olsen E. Reliability and validity of the Hospital Survey on Patient Safety Culture at a Norwegian hospital. In: Øvretveit J, Sousa PJ, eds. *Quality and safety improvement research: methods and research practice from the International quality improvement research network (QIRN)*. Lisbon: National School of Public Health, 2008: 173–86.
 89. Olsen E, Aase K. A comparative study of safety climate differences in healthcare and the petroleum industry. *Qual Saf Health Care* 2010;19 Suppl 3(Suppl 3):i75–9.
 90. Haugen AS, Sjøteland E, Eide GE, et al. Patient safety in surgical environments: cross-countries comparison of psychometric properties and results of the Norwegian version of the hospital survey on patient safety. *BMC Health Serv Res* 2010;10:279.
 91. Tereanu C, Smith SA, Ghelase MS, et al. Psychometric properties of the Romanian version of the hospital survey on patient safety culture (HSOPS). *Maedica* 2018;13:34–43.
 92. Sarac C, Flin R, Mearns K, et al. Hospital survey on patient safety culture: psychometric analysis on a Scottish sample. *BMJ Qual Saf* 2011;20:842–8.
 93. Waterson P, Griffiths P, Stride C, et al. Psychometric properties of the hospital survey on patient safety culture: findings from the UK. *BMJ Qual Saf* 2010;19:e2.
 94. Robida A. Hospital survey on patient safety culture in Slovenia: a psychometric evaluation. *Int J Qual Health Care* 2013;25:469–75.
 95. Robida A. Perception of patient safety culture in Slovenian acute general hospitals. *Zdr Vestn* 2013;82:648–60.
 96. Hedsköld M, Pukk-Härenstam K, Berg E, et al. Psychometric properties of the hospital survey on patient safety culture, HSOPSC, applied on a large Swedish health care sample. *BMC Health Serv Res* 2013;13:332.
 97. Nordin A, Wilde-Larsson B, Nordström G, et al. Swedish Hospital Survey on Patient Safety Culture— Psychometric properties and health care staff's perception. *Open J Nurs* 2013;03:41–50.
 98. Danielsson M, Nilsen P, Rutberg H, et al. A national study of patient safety culture in hospitals in Sweden. *J Patient Saf* 2017;1.
 99. Pousette A, Larsman P, Eklöf M, et al. The relationship between patient safety climate and occupational safety climate in healthcare – a multi-level investigation. *J Safety Res* 2017;61:187–98.
 100. Perneger TV, Staines A, Kundig F. Internal consistency, factor structure and construct validity of the French version of the hospital survey on patient safety culture. *BMJ Qual Saf* 2014;23:389–97.
 101. Moghri J, Arab M, Saari AA, a AS, et al. The Psychometric Properties of the Farsi Version of "Hospital Survey on Patient Safety Culture" In Iran's Hospitals. *Iran J Public Health* 2012;41:80–6.
 102. Saleh AM, Darawad MW, Al-Hussami M. The perception of hospital safety culture and selected outcomes among nurses: an exploratory study. *Nurs Health Sci* 2015;17:339–46.
 103. Suliman M, Aljezawi M, AlBashtawy M, et al. Exploring safety culture in Jordanian hospitals: a baseline study. *J Nurs Care Qual* 2017;32:E1–E7.
 104. Najjar S, Hamdan M, Baillien E, et al. The Arabic version of the hospital survey on patient safety culture: a psychometric evaluation in a Palestinian sample. *BMC Health Serv Res* 2013;13:193.
 105. Hamdan M, Saleem Abed Alra'oof, Saleem AA. Assessment of patient safety culture in Palestinian public hospitals. *Int J Qual Health Care* 2013;25:e17:167–75.
 106. Aboshaiqah AE. *Patients Safety Culture: A Baseline Assessment Of Nurses' Perceptions In A Saudi Arabia Hospital*, 2010.
 107. El-Jardali F, Sheikh F, Garcia NA, et al. Patient safety culture in a large teaching hospital in Riyadh: baseline assessment, comparative analysis and opportunities for improvement. *BMC Health Serv Res* 2014;14:122.
 108. Alonazi MS. An evaluation of a patient safety culture tool in Saudi Arabia 2011.
 109. Alswat K, Abdalla RAM, Titi MA, et al. Improving patient safety culture in Saudi Arabia (2012–2015): Trending, improvement and benchmarking. *BMC Health Serv Res* 2017;17:516.
 110. Bodur S, Filiz E. A survey on patient safety culture in primary healthcare services in turkey. *Int J Qual Health Care* 2009;21:348–55.
 111. Bodur S, Filiz E. Validity and reliability of Turkish version of "Hospital Survey on Patient Safety Culture" and perception of patient safety in public hospitals in Turkey. *BMC Health Serv Res* 2010;10:28.
 112. Nie Y, Mao X, Cui H, et al. Hospital survey on patient safety culture in China. *BMC Health Serv Res* 2013;13:228.
 113. Shu Q, Cai M, Tao H-bing, et al. What does a hospital survey on patient safety reveal about patient safety culture of surgical units compared with that of other units? *Medicine* 2015;94:e1074.
 114. Wang M, Tao H. How does patient safety culture in the surgical departments compare to the rest of the County hospitals in Xiaogan city of China? *Int J Environ Res Public Health* 2017;14:1123.
 115. Ito S, Seto K, Kigawa M, et al. Development and applicability of hospital survey on patient safety culture (HSOPS) in Japan. *BMC Health Serv Res* 2011;11:28.